

*Centennial North  
Planned Unit  
Development  
Amendment*

**ORDINANCE NO. 09-03**

**An ordinance amending the Zoning Ordinance of the City of Westfield, Indiana**

**January 15, 2009**

# Centennial North Planned Unit Development Ordinance Amendment

## TABLE OF CONTENTS AND SCHEDULE OF EXHIBITS

<b><u>TABLE OF CONTENTS</u></b>	<b><u>PAGE</u></b>
Section 1. Legislative Intent	3
Section 2. Effect	3
Section 3. Reclassification of Zoning	4
Section 4. Applicability of Zoning Ordinance	4
Section 5. Development Standards	4
Section 6. Architectural Standards	4
Section 7. Street Standards	4
Section 8. Landscape Standards	4
Section 9. Signage Standards	5
Section 10. Conceptual Land Plan and Phasing of Development Plans	5
Section 11. Definitions	6

### **SCHEDULE OF EXHIBITS**

- A. Architectural Standards for Area A – 60’ Wide Lots
- B. Architectural Standards for Area B – 80’ Wide Lots
- C. Development Standards
- D. Conceptual Land Plan, Open Space Concept, Landscape Buffering
- E. Real Estate – Legal Description
- F. Development Plan Review (DPR) provisions of the Zoning Ordinance
- G. Landscaping Standards of the Zoning Ordinance
- H. Lighting Standards of the Zoning Ordinance
- I. Sign Standards of the Zoning Ordinance

**ORDINANCE NO. 09-03**

**An Ordinance of the City of Westfield, Indiana Amending the Centennial North Planned Unit Development Ordinance**

This PUD Ordinance Amendment (the “Amendment”) amends the Centennial North Planned Unit Development Ordinance of the City of Westfield and Washington Township, Hamilton County, Indiana (the “Centennial North PUD”), enacted by the City of Westfield under authority of Chapter 174 of the Acts of the Indiana General Assembly 1947, as amended;

**WITNESSETH:**

**WHEREAS**, the Area Plan Commission of the City of Westfield and Washington Township (the “Commission”) has conducted a public hearing as required by law in regard to the application for a change of zone district designation filed by the Estridge Development Company, Inc. for the real estate containing approximately 118.193 acres more or less, legally described on Exhibit “E” hereto, and located in the City of Westfield, Hamilton County, Indiana (the “Real Estate”);

**WHEREAS**, the Commission has sent to the Common Council of the City of Westfield, Indiana (the “Common council”) its recommendation adopted on the \_\_\_\_\_ day of \_\_\_\_\_, 2009;

**NOW, THEREFORE, BE IT ORDAINED BY THE COMMON COUNCIL OF WESTFIELD, INDIANA**, that the Zoning Ordinance and the Zone Map (the “Zone Map”) of the Zoning Ordinance are hereby amended as follows:

**SECTION 1. LEGISLATIVE INTENT.** Having given reasonable regard to (i) the Comprehensive Plan, (ii) current conditions and the character of current structures and uses in the Real Estate, (iii) the most desirable use for which the Real Estate is adapted, (iv) conservation of property values throughout the City of Westfield, and (v) responsible development and growth, it is the intent of the Council in adopting, to:

- A. Encourage flexibility in the development of land in order to promote its most appropriate use;
- B. Improve the design, character, and quality of new development;
- C. Encourage a harmonious and appropriate mixture of uses;
- D. Facilitate the adequate and economic provisions of streets, utilities, and municipal services;
- E. Preserve the natural environmental and scenic features of the Real Estate;
- F. Encourage and provide a mechanism for arranging improvements on-site so as to preserve desirable features; and
- G. Mitigate the problems that may be presented by specific site conditions.

**SECTION 2. EFFECT.** The development standards created by this Centennial North PUD supersede the development standards of the Zoning Ordinance. Unless otherwise specified

herein, the owner(s) of the Real Estate shall otherwise comply with the terms, conditions, and procedures of PUD Ordinance 02-01 (WC 16.04.190).

**SECTION 3. RECLASSIFICATION OF ZONING.** The zoning classification of the Real Estate is reclassified on the Zone Map to the Planned Unit Development District classification – Centennial North PUD, the underlying zoning classification of which shall be the SF-3 District of the Zoning Ordinance in force at the time of the enactment of this Centennial North PUD. Permitted uses shall be restricted to single family detached dwellings and their typical accessory uses (e.g. amenity center, playgrounds, etc.) as detailed in the table below. The maximum gross density of the community shall be 2.0 dwelling units per acre.

<b>Area</b>	<b>Use</b>	<b>Approximate Number of Dwelling Units</b>	<b>Approximate Acreage</b>
A	Single Family Detached Residences	112	68.4
B	Single Family Detached Residences	99	49.8
	<b>Totals</b>	<b>211</b>	<b>118.2</b>

Note: The acreages and number of dwelling units listed in the above table may increase or decrease by 15%, but the maximum number of dwelling units shall be 236 dwelling units.

**SECTION 4. APPLICABILITY OF ZONING ORDINANCE.** Subject only to the following changes and modifications set forth herein and contained in the plans and drawings which are attached hereto as exhibits, all of the provisions of the Zoning Ordinance in force and effect at the time of the enactment of this Centennial North PUD including, without limitation, the DPR Provisions, the Landscaping Standards, the Lighting Standards, and the Sign Standards, shall apply to the Real Estate.

**SECTION 5. DEVELOPMENT STANDARDS.** The applicable development standards for Area A and Area B are specified in what is attached hereto and incorporated herein by reference as Exhibit C.

**SECTION 6. ARCHITECTURAL STANDARDS.** The applicable architectural standards for Area A and Area B are specified in what is attached hereto and incorporated herein by reference as Exhibit A and Exhibit B respectfully.

**SECTION 7. STREET STANDARDS.** The Developer shall not be required to install street lights as required by WC 16.04.240(I). Dusk to dawn lights on the homes and uprights on the entry walls shall be used in lieu of street lights.

**SECTION 8. LANDSCAPE STANDARDS.**

A. Road Frontage Standards

1. Where the Real Estate abuts primary arterials, secondary arterials, or collector roads not internal to the Real Estate, at least one shade tree or evergreen tree per thirty (30) linear feet of road frontage shall be planted adjacent to road rights-of-way. Trees shall not be

required along detention ponds or within gas pipeline easements. Trees planted along road frontage shall be credited toward overall on-site landscaping requirements set forth in Table 16.06.050-01.

**B. Perimeter Landscape Buffering**

1. Landscape buffering shall be required along the perimeter of the site as illustrated on the Landscape Buffering Plan in Exhibit D.
2. No perimeter landscape buffer shall be required along detention ponds or along the school property line.
3. Type A Buffer
  - a. The Type A Buffer is intended to physically separate and visually screen the Real Estate from the adjoining residential land uses.
  - b. The buffer shall be a minimum of thirty (30) feet in width and planted with a minimum of one (1) shade tree or evergreen tree and four (4) shrubs per twenty (20) linear feet of buffer. Trees may be substituted in lieu of shrubbery on a 1:3 basis (tree:shrub). At least 50% of the required tree planting shall be evergreen trees.
  - c. Where the buffer abuts existing woodlands at least 50 feet deep, the buffer shall be a minimum of one (1) shade tree or evergreen tree and four (4) shrubs per twenty (20) linear feet of buffer. Trees may be substituted in lieu of shrubbery on a 1:3 basis (tree:shrub). At least 50% of the required tree planting shall be evergreen trees.
  - d. Plantings required to be placed in the Type A buffer shall not be credited toward total on-site landscaping requirements set forth in Table 16.06.050-01.
4. Type B Buffer
  - a. The Type B Buffer is intended to soften the visual appearance of the rear yards of homes from adjacent streets external to the Real Estate. This type of buffer is not required by the standard landscape ordinance.
  - b. The buffer shall be a minimum of thirty (30) feet in width and planted with a minimum of one (1) shade tree or evergreen tree per thirty (30) linear feet of buffer. At least 50% of the required planting shall be evergreen trees.
  - c. Plantings required to be placed in the Type B buffer shall be credited toward total on-site landscaping requirements set forth in Table 16.06.050-01.

**C. Parking Lot Landscaping**

1. Accessory parking lots, if any, shall be located at the interior of the site shall not be required to comply with the parking lot landscaping requirements of the Zoning Ordinance.

**SECTION 9. SIGNAGE STANDARDS.** The Real Estate shall be permitted a maximum of 64 square feet of sign area on one or more monument signs per entrance. The monument sign(s) shall not exceed nine (9) feet in height.

**SECTION 10. CONCEPTUAL LAND PLAN AND DEVELOPMENT OF REAL ESTATE.** The Development Plan for the Real Estate shall be submitted and approved in one (1) phase pursuant to the Conceptual Land Plan. The Development Plan for the Real Estate may be submitted at any time within three (3) years from the enactment of this Centennial North PUD, without the need for an extension of time from the Plan Commission; however, a Development Plan for the Real Estate may not be submitted more than three (3) years after the date of the enactment of this PUD Ordinance, without an extension of time from the Plan Commission.

**SECTION 11. DEFINITIONS.** The following definitions shall apply in this Centennial North PUD:

**Building Height:** The distance measured from the average ground level at the foundation of the residence facing the street to the mean height between the eaves and ridges for gable, hip, and gambrel roofs. Chimneys and other similar structures shall not be included in calculating building heights.

**Conceptual Land Plan:** Attached hereto and incorporated herein by reference as Exhibit “D” is the Conceptual Land Plan for Area A and Area B.

**DPR Provisions:** Attached hereto and incorporated herein by reference as Exhibit “F” are the Development Plan Review Provisions (the “DPR Provisions”) of the Zoning Ordinance that were in full force and effect at the time of the enactment of the Centennial North PUD.

**Landscape Standards:** Attached hereto and incorporated herein by reference as Exhibit “G” are the Landscape Standards (the “Landscape Standards”) of the Zoning Ordinance that were in full force and effect at the time of the enactment of the Centennial North PUD.

**Lighting Standards:** Attached hereto and incorporated herein by reference as Exhibit “H” are the Lighting Standards (the “Lighting Standards”) of the Zoning Ordinance that were in full force and effect at the time of the enactment of the Centennial North PUD.

**Living Space:** The square footage of the home exclusive of garages, porches, patios, and basements.

**Open Space:** Commonly-owned areas within the community including parks, public pathways, water detention areas, screening buffers, etc., but not including water retention ponds and rights-of-way.

**Sign Standards:** Attached hereto and incorporated herein by reference as Exhibit “I” are the Sign Standards (the “Sign Standards”) of the Zoning Ordinance that were in full force and effect at the time of the enactment of the Centennial North PUD.

**Vinyl:** Vinyl siding shall have a minimum 0.044 thickness.

**External Street:** An existing public road abutting the property. The External Streets are 161st Street, 156th Street, and Ditch Road.

ALL OF WHICH IS ORDAINED by the Common Council of the City of Westfield, Indiana, this \_\_\_\_\_ day of \_\_\_\_\_, 2009.

**COMMON COUNCIL OF THE CITY OF WESTFIELD**

**Aye**

**Nay**

_____	_____	_____
	John Dippel	
_____	_____	_____
	Steve Hoover	
_____	_____	_____
	Robert L. Horkay	
_____	_____	_____
	Ken Kingshill	
_____	_____	_____
	Bob Smith	
_____	_____	_____
	Tom Smith	
_____	_____	_____
	Rob Stokes	

APPROVED and signed by the Mayor of the City of Westfield, Hamilton County, Indiana, this \_\_\_\_\_ day of \_\_\_\_\_, 2009.

\_\_\_\_\_  
J. Andrew Cook, Mayor  
City of Westfield, Indiana

ATTEST:

\_\_\_\_\_  
Cindy Gossard, Clerk Treasurer  
City of Westfield, Indiana

I hereby certify that ORDINANCE 09-03 was delivered to the Mayor of Westfield

on the \_\_\_\_\_ day of \_\_\_\_\_, 2008, at \_\_\_\_\_ m.

\_\_\_\_\_  
Cindy Gossard, Clerk-Treasurer

I hereby APPROVE ORDINANCE 09-03

this \_\_\_\_\_ day of \_\_\_\_\_, 2008.

\_\_\_\_\_  
J. Andrew Cook, Mayor

I hereby VETO ORDINANCE 09-03

this \_\_\_\_\_ day of \_\_\_\_\_, 2008.

\_\_\_\_\_  
J. Andrew Cook, Mayor

## EXHIBIT A

### ARCHITECTURAL STANDARDS FOR AREA A

#### A. Architectural Standards

1. Design Elements. Design elements and detailing shall be cohesive around the structure. Such design elements shall include, but are not limited to, windows, window placement, trim detailing, and exterior wall materials. Architectural elements shall be used to create visual interest.
2. Roof Form and Overhangs
  - a. Roof form and design will include, where appropriate, varied pitches and ridge levels.
  - b. All residences shall have eaves of a minimum eight inch overhang on the front and rear of the building.
3. Design Objectives. Residences shall be required to meet the following:
  - a. Residences located adjacent to an External Street and located so as to have a rear or side façade oriented to the External Street shall utilize multiple textures (e.g. rough, smooth, striated, etc.) or multiple architectural elements (e.g. quoins, pilasters, soldier courses, lintels, friezes, cornices, dentils, architraves, architectural breaks, etc.) on each façade visible from the External Street per Section 6e below.
  - b. Identical model elevations shall be separated by at least one lot. No identical model elevations shall be directly across the street from one another.
4. Garage Composition and Orientation
  - a. All residences shall have a minimum two car attached garage.
  - b. Front load and side load garages shall be permitted.
5. Typical Lot Landscaping
  - a. Portions of the lot draining to the front shall be sodded. Portions of the lot draining to the rear shall be seeded.
6. Exterior Surfaces
  - a. Permitted exterior surfaces shall include: vinyl, EIFS, stucco, cultured stone, masonry or equivalent, wood, and concrete fiber board, or equivalent materials as determined by the Developer. Vinyl or aluminum clad windows, trim, and soffits shall be permitted.
  - b. Generally, all homes shall have masonry or equivalent, fiber cement siding, EIFS, cultured stone, stucco, or equivalent material on the first floor of the front of the home or equivalent percentages thereof exclusive of windows and doors, unless architectural style dictates otherwise.
  - c. Each residence using vinyl siding on the front façade shall utilize a minimum of three (3) of the following architectural elements on the front façade:

- i. Side load or angled garage
  - ii. Covered front porch (at least six feet (6') in width and four feet (4') in depth;
  - iii. Roofline direction change or roofline height change greater than sixteen inches (16");
  - iv. Wood, concrete fiber board, or equivalent trim at corners, frieze boards, window and door wraps, and as transitional material between two different exterior materials;
  - v. Decorative shutters or other enhanced architectural window treatment on all windows, where feasible (a minimum of three windows with shutters are required to meet this provision);
  - vi. Architectural break, including cantilevered offsets, of at least two (2) feet of relief at two (2) or more points along the front façade elevation, excluding relief for doors and windows and garage (homes incorporating two (2) or more architectural breaks shall be deemed to have met two of the element requirements);
  - vii. Primary roof pitches of 8/12 or greater and secondary roof pitches of 10/12 or greater.
  - viii. Masonry or equivalent, EIFS, stucco, cultured stone or equivalent material on a minimum of the first floor or 25% of the total façade, exclusive of windows and doors.
  - ix. Separate overhead door per car for each garage;
  - x. Roof design featuring hip roof, dormers (a minimum of two (2) dormers), a reverse gable, a shed roof accent, two (2) or more roof planes or a covered front entry;
  - xi. Architecturally-treated entranceways (for homes without a front porch);
  - xii. Bay window;
  - xiii. Transom window(s);
  - xiv. Veranda/balcony;
  - xv. Garage doors containing windows;
  - xvi. Architecturally-enhanced articulated trim moldings (e.g. fipons above windows); or
  - xvii. Exterior chase fireplace.
- d. Each residence using vinyl siding on the sides of the residence shall utilize a minimum of one of the following architectural elements on each side façade. Side facades that face internal streets on corner lots shall utilize a minimum of two of the following architectural elements on said side façade:
- i. Side load or angled garage;
  - ii. Hip roof;

- iii. Roofline direction change or roofline height change greater than sixteen inches (16”) or two (2) or more roof planes;
  - iv. Architectural break, including cantilevered offsets, of at least two (2) feet of relief at two (2) or more points along the side façade elevation, excluding relief for doors and windows and garage (homes incorporating two (2) or more architectural breaks shall be deemed to have met two of the element requirements);
  - v. Masonry or equivalent, EIFS, stucco, cultured stone or equivalent material a minimum of 18 inches in height the entire length of the façade or a four foot return on the first floor;
  - vi. Three or more windows on the façade;
  - vii. Side yard landscaping to include at least one tree a minimum of six feet in height at the time of planting and three shrubs three feet in height at time of planting;
  - viii. Bay window;
  - ix. Transom window(s);
  - x. Veranda/balcony;
  - xi. Architecturally-enhanced articulated trim moldings (e.g. fipons above windows); or
  - xii. Exterior chase fireplace.
  - xiii. Architectural treatment on gable ends; or
  - xiv. Sunroom or screened porch.
- e. Each residence using vinyl siding and located adjacent to an External Street that is oriented as to have the rear and/or side façade of the home predominately visible from an External Street shall have masonry or equivalent, EIFS, stucco, cultured stone or equivalent material on the first floor for rear facades facing External Streets or a minimum of two (2) of the following design features on said façade(s):
- i. Covered open or screened porch (minimum size ten foot by ten foot, includes porches with arbor or similar roof treatments);
  - ii. Shutters on all windows, where feasible (a minimum of three (3) windows with shutters are required);
  - iii. Architectural break, including cantilevered offsets, of at least two (2) feet of relief at two (2) or more points along the side façade elevation, excluding relief for doors and windows and garage (includes homes incorporating two (2) or more architectural breaks);
  - iv. Masonry or equivalent, EIFS, stucco, cultured stone or equivalent material a minimum of 18 inches in height the entire length of the façade or a five foot return on the first floor;

- v. Hip roof (only for side facades facing External Streets) or two (2) or more roof planes;
- vi. Elevated deck with decorative rail a minimum of 12 feet in width;
- vii. Roofline direction change or roofline height change greater than sixteen inches (16”);
- viii. Bay window;
- ix. Transom window(s);
- x. Veranda/balcony;
- xi. Architecturally-enhanced articulated trim moldings (e.g. fipons above windows);
- xii. Exterior chase fireplace; or
- xiii. Architectural treatment on gable ends.

## **EXHIBIT B**

### **ARCHITECTURAL STANDARDS FOR AREA B**

#### **A. Architectural Standards**

1. Design Elements. Design elements and detailing shall be cohesive around the structure. Such design elements shall include, but are not limited to, windows, window placement, trim detailing, and exterior wall materials. Architectural elements shall be used to create visual interest.
2. Roof Form and Overhangs
  - a. Roof form and design will include, where appropriate, varied pitches and ridge levels.
  - b. All residences shall have eaves of a minimum eight inch overhang on the front and rear of the building.
3. Design Objectives. Residences shall be required to meet the following:
  - a. Residences located adjacent to an External Street and located so as to have a rear or side façade oriented to the External Street shall utilize multiple textures (e.g. rough, smooth, striated, etc.) or multiple architectural elements (e.g. quoins, pilasters, soldier courses, lintels, friezes, cornices, dentils, architraves, architectural breaks, etc.) on each façade visible from the External Street per Section 6e below.
  - b. Identical model elevations shall be separated by at least one lot. No identical model elevations shall be directly across the street from one another.
4. Garage Composition and Orientation
  - a. All residences shall have a minimum two car attached garage.
  - b. Front load and side load garages shall be permitted.
5. Typical Lot Landscaping
  - a. Portions of the lot draining to the front shall be sodded. Portions of the lot draining to the rear shall be seeded.
6. Exterior Surfaces
  - a. Permitted exterior surfaces shall include: vinyl, EIFS, stucco, cultured stone, masonry or equivalent, wood, and concrete fiber board, or equivalent materials as determined by the Developer. Vinyl or aluminum clad windows, trim, and soffits shall be permitted.
  - b. Generally, all homes shall have masonry or equivalent, fiber cement siding, EIFS, cultured stone, stucco, or equivalent material on the first floor of the front of the home or equivalent percentages thereof exclusive of windows and doors, unless architectural style dictates otherwise.
  - c. Each residence using vinyl siding on the front façade shall utilize a minimum of three (3) of the following architectural elements on the front façade:

- i. Side load or angled garage
  - ii. Covered front porch (at least six feet (6') in width and four feet (4') in depth;
  - iii. Roofline direction change or roofline height change greater than sixteen inches (16");
  - iv. Wood, concrete fiber board, or equivalent trim at corners, frieze boards, window and door wraps, and as transitional material between two different exterior materials;
  - v. Decorative shutters or other enhanced architectural window treatment on all windows, where feasible (a minimum of three windows with shutters are required to meet this provision);
  - vi. Architectural break, including cantilevered offsets, of at least two (2) feet of relief at two (2) or more points along the front façade elevation, excluding relief for doors and windows and garage (homes incorporating two (2) or more architectural breaks shall be deemed to have met two of the element requirements);
  - vii. Primary roof pitches of 8/12 or greater and secondary roof pitches of 10/12 or greater.
  - viii. Masonry or equivalent, EIFS, stucco, cultured stone or equivalent material on a minimum of the first floor or 25% of the total façade, exclusive of windows and doors.
  - ix. Separate overhead door per car for each garage;
  - x. Roof design featuring hip roof, dormers (a minimum of two (2) dormers), a reverse gable, a shed roof accent, two (2) or more roof planes or a covered front entry;
  - xi. Architecturally-treated entranceways (for homes without a front porch);
  - xii. Bay window;
  - xiii. Transom window(s);
  - xiv. Veranda/balcony;
  - xv. Garage doors containing windows;
  - xvi. Architecturally-enhanced articulated trim moldings (e.g. fipons above windows); or
  - xvii. Exterior chase fireplace.
- d. Each residence using vinyl siding on the sides of the residence shall utilize a minimum of one of the following architectural elements on each side façade. Side facades that face internal streets on corner lots shall utilize a minimum of two of the following architectural elements on said side façade:
- i. Side load or angled garage;
  - ii. Hip roof;

- iii. Roofline direction change or roofline height change greater than sixteen inches (16”) or two (2) or more roof planes;
  - iv. Architectural break, including cantilevered offsets, of at least two (2) feet of relief at two (2) or more points along the side façade elevation, excluding relief for doors and windows and garage (homes incorporating two (2) or more architectural breaks shall be deemed to have met two of the element requirements);
  - v. Masonry or equivalent, EIFS, stucco, cultured stone or equivalent material a minimum of 18 inches in height the entire length of the façade or a four foot return on the first floor;
  - vi. Three or more windows on the façade;
  - vii. Side yard landscaping to include at least one tree a minimum of six feet in height at the time of planting and three shrubs three feet in height at time of planting;
  - viii. Bay window;
  - ix. Transom window(s);
  - x. Veranda/balcony;
  - xi. Architecturally-enhanced articulated trim moldings (e.g. fipons above windows); or
  - xii. Exterior chase fireplace.
  - xiii. Architectural treatment on gable ends; or
  - xiv. Sunroom or screened porch.
- e. Each residence using vinyl siding and located adjacent to an External Street that is oriented as to have the rear and/or side façade of the home predominately visible from an External Street shall have masonry or equivalent, EIFS, stucco, cultured stone or equivalent material on the first floor for rear facades facing External Streets or a minimum of two (2) of the following design features on said façade(s):
- i. Covered open or screened porch (minimum size ten foot by ten foot, includes porches with arbor or similar roof treatments);
  - ii. Shutters on all windows, where feasible (a minimum of three (3) windows with shutters are required);
  - iii. Architectural break, including cantilevered offsets, of at least two (2) feet of relief at two (2) or more points along the side façade elevation, excluding relief for doors and windows and garage (includes homes incorporating two (2) or more architectural breaks);
  - iv. Masonry or equivalent, EIFS, stucco, cultured stone or equivalent material a minimum of 18 inches in height the entire length of the façade or a five foot return on the first floor;

- v. Hip roof (only for side facades facing External Streets) or two (2) or more roof planes;
- vi. Elevated deck with decorative rail a minimum of 12 feet in width;
- vii. Roofline direction change or roofline height change greater than sixteen inches (16”);
- viii. Bay window;
- ix. Transom window(s);
- x. Veranda/balcony;
- xi. Architecturally-enhanced articulated trim moldings (e.g. fipons above windows);
- xii. Exterior chase fireplace; or
- xiii. Architectural treatment on gable ends.

## EXHIBIT C

### DEVELOPMENT STANDARDS

<b>Development Standard</b>	<b>Area A</b>	<b>Area B</b>
<b>Minimum Lot Width at Building Line</b>	60'	80'
<b>Minimum Lot Depth</b>	125'	125'
<b>Minimum Lot Frontage on Street</b>	45'	50'
<b>Minimum Lot Area</b>	7,500 s.f.	10,000 s.f.
<b>Minimum Front Yard Setback</b>	20'	20'
<b>Minimum Side Yard Setback</b>	5'	5'
<b>Minimum Rear Yard Setback</b>	20'	20'
<b>Maximum Building Height</b>	35'	35'
<b>Minimum Separation between Buildings</b>	12'	12'
<b>Minimum Living Space for One Story Homes</b>	1,340 s.f.	1,600 s.f.
<b>Minimum Living Space for Two Story Homes</b>	1,760 s.f.	2,000 s.f.

## **EXHIBIT D**

### **CONCEPTUAL LAND PLAN, OPENSOURCE CONCEPT, AND LANDSCAPE BUFFERING**

#### **A. Conceptual Land Plan**

1. The conceptual land plan for the project contains approximately 211 homes of two different lot widths. The development and architectural standards for the two areas are outlined in Exhibits A through C.
2. The locations of the home collections are shown on the attached Conceptual Land Plan.

#### **B. Open Space Concept**

1. To maximize people's connection to the open space, the land plan for the Centennial North PUD is intentionally designed to situate lots adjacent to open space as often as possible. To this end, a minimum of 90% of the homes shall abut common area.
2. The attached Open Space Concept Plan illustrates how the network of open spaces and trails within the community will be structured.
3. A minimum of 30% of the site shall be commonly-owned openspace.
4. No portion of a privately-owned single family detached residential lot shall encroach into the gas pipeline easements.

#### **C. Amenities Concept**

1. The abundance of open space in the community offers active and passive recreation opportunities.
2. Passive recreation opportunities are provided around the ponds, throughout the open space, and in pockets of common area throughout the development.
3. Active recreation will be focused around sports fields located within the greenway that runs through the community.
4. Multi-use paths (eight foot wide asphalt per City standards) will run along the perimeter of 156<sup>th</sup> Street, 161<sup>st</sup> Street, and Ditch Road as required by the Thoroughfare Plan. An eight foot wide asphalt path built to city standards will run within the greenway and connect 156th Street to 161st Street.

# Concept Plan

## Centennial North Concept Plan

### Legend

-  Area A – 60' Wide Lots
-  Area B – 80' Wide Lots




# Open Space Concept

## Legend

- Multi-purpose Path
- Greenway Trail



# Landscape Buffering



## EXHIBIT E

### REAL ESTATE – LEGAL DESCRIPTION

#### OVERALL TRACT (Tract A & B)

Part of the Southwest Quarter of Section 10, Township 18 North, Range 3 East, in Washington Township, Hamilton County, Indiana, being more particularly described as follows:

Beginning at the Southwest corner of said Quarter Section; thence North 00 degrees 09 minutes 24 seconds East (assumed bearing) along the West line of the Southwest Quarter of said Quarter Section 1312.51 feet to the Northwest corner thereof; thence North 89 degrees 22 minutes 30 seconds East along the North line of said Quarter-Quarter Section 1309.47 feet to the Northeast corner thereof, said point also being the Southwest corner of the Northeast Quarter of said Quarter Section; thence North 00 degrees 05 minutes 02 seconds East along the West line of the said Quarter-Quarter Section 1310.70 feet to the Northwest corner thereof; thence North 89 degrees 27 minutes 13 seconds East along the North line of said Quarter-Quarter Section 1307.78 feet to the Northeast corner thereof; thence South 00 degrees 00 minutes 39 seconds West along the East line of said Quarter Section 2617.77 feet to the Southeast corner thereof; thence South 89 degrees 17 minutes 48 seconds West along the South line of said Quarter Section 2622.31 feet to the place of beginning containing 118.193 acres, more or less.

I further certify that there are no building(s) on the above-described real estate and that the buildings located on the adjoining property do not encroach upon said real estate, except as indicated.

This is to certify that the subject property is not located in a Special Flood Hazard Zone A as said tract plots by scale on Community Panel No. 180083 0120 F of the Flood Insurance Rate Maps dated February 19, 2003.

Certified: June 12, 2003

  
Curtis C. Huff  
Registered Land Surveyor  
No. 80040348



S:\35909V\Logd\UTS 6-12-03.rtf  
June 12, 2003

## **EXHIBIT F**

### **DEVELOPMENT PLAN REVIEW (DPR) PROVISIONS**

This exhibit will contain the Development Plan Review (DPR) Provisions of the Zoning Ordinance, found in Section 16.04.165 of the Zoning Ordinance, in effect on the date of the enactment of this Centennial North PUD Ordinance.

## **EXHIBIT G**

### **LANDSCAPING STANDARDS**

This exhibit will contain the Landscaping Standards of the Zoning Ordinance, found in Sections 16.06.010 et. seq. of the Zoning Ordinance, in effect on the date of the enactment of this Centennial North PUD Ordinance.

## **EXHIBIT H**

### **LIGHTING STANDARDS**

This exhibit will contain the Lighting Standards of the Zoning Ordinance, found in Sections 16.07.010 of the Zoning Ordinance, in effect on the date of the enactment of this Centennial North PUD Ordinance.

**EXHIBIT I**  
**SIGN STANDARDS**

This exhibit will contain the Sign Standards of the Zoning Ordinance, found in Sections 16.08.010 through 16.08.090 of the Zoning Ordinance, in effect on the date of the enactment of this Centennial North PUD Ordinance.