

Petition Number: 1306-VS-06, 07, +08
Date of Filing: 05/22/2013

**Application for VARIANCE OF DEVELOPMENT STANDARD
Westfield – Washington Township
Board of Zoning Appeals (BZA)**

This application must be completed and filed with the Community Services Department of the Town of Westfield, Indiana in accordance with the meeting schedule.

- 1. Appellant's Name Corey Williams
Address 2750 E. 146th St., suite 200
Carmel IN 46033
Telephone Number 317-853-5421
E-Mail Address cwilliams@thompsonthrift.com
- 2. Landowner's Name Cool Creek Village LLC
Address 901 Wabash Ave., suite 300
Terre Haute IN 47807
Telephone Number 812.235.5959
- 3. *Representative _____
*Address _____
*Telephone Number _____
*Email Address _____

*If the applicant is not presenting a petition, please provide contact information for the party representing the applicant.

- 4. Common description of property (address, location, etc.)
2750 E. 146th St., Carmel, IN - Cool Creek Village
- 5. Legal description of property (list below or attach)
Attached
- 6. Complete description of the nature of the development standard variance applied for:
Asking for a variance to WC 16.08.010, Section I.
Non residential signs, paragraph b. Two-story, multi-tenant
signage. Asking for number of signs for a 200 LF building
to be increased from 2 to 3

7. **ALL SITE PLANS SHALL BE LEGIBLE AND DRAWN TO SCALE.** Site plans must accompany this application and must depict at a minimum:

- a. Lot(s) shape and dimensions;
- b. Location and dimensions of existing and proposed structures;
- c. Location and dimensions of existing and proposed points of ingress and egress; and
- d. All topographic and natural features and/or other unusual characteristics associated with the property.

8. The Applicant must address the following criteria and establish at the public hearing that each of the following is true in order to obtain a favorable determination from the BZA.

No variance of development standard shall be granted unless the BZA finds all of the following to be true:

a. That the approval of such variance of development standard will not be injurious to the public health, safety, morals, and general welfare of the community:

Existing signage has proven to not be injurious to the public health, safety, morals, and general welfare of the community and the proposed additional signage will be consistent in size and general location to those 2nd-story signs that exist.

b. That the use and value of the area adjacent to the property included in the variance of development standard will not be affected in a substantially adverse manner:

the addition signage requested will face public right-of-way, be consistent with existing signage on the building therefore will not adversely affect the value of the adjacent properties.

c. That the strict application of the terms of the zoning ordinance will result in practical difficulties in the use of the subject property:


The terms of the zoning ordinance will not allow building signage for the remaining lease space making market visibility difficult. The ordinance based # of signs on length of frontage and the space has been divided amongst more than two tenants.

TOWN OF WESTFIELD, INDIANA

The Appellant hereby certifies that the information contained in and accompanying this application is true and correct.

G. A. Willis
Applicant



SUBSCRIBED AND SWORN TO ME THIS 21st DAY OF May, 20 13.



Donald W. Potter
Notary Public

My commission expires: July 22, 2018

INTERNALLY ILLUMINATED ALUMINUM FLAG SIGN
WITH PUSH-THRU ACRYLIC COPY DECORATED AS SHOWN
MOUNTED DIAGONALLY FROM CORNER




SALON LOFTS®

174"

21.75sqft

(2) SETS - INTERNALLY ILLUMINATED (WHITE LEDS) ALUMINUM REVERSE CHANNEL LETTERS
PAINTED MATHEWS BRUSHE ALUMINUM MOUNT 2" FROM WALL FOR HALO ILLUMINATION





Branham Sign
COMPANY • INCORPORATED
A Full Service Sign Company Since 1968

CUSTOMER	SALON LOFTS	LOCATION	COOL CREEK INDIANAPOLIS IN
DATE	05222013	JOB PATH	G:\JOBS\SalonLofts\IND - Indianapolis Market\Cool Creek\PRINT\TIO
ALL DRAWINGS AND WRITTEN MATERIAL APPEARING HEREIN CONSTITUTE THE ORIGINAL AND UNPUBLISHED WORK OF THE SIGN CONTRACTOR AND MAY NOT BE DUPLICATED, USED, OR DISCLOSED WITHOUT THE WRITTEN CONSENT OF THE SIGN CONTRACTOR.			
SALES TBJ		SCALE PROPORTIONAL	
דראון גרשום		APPROVED	
127 CYPRESS ST. SW - REYNOLDSBURG, OHIO 43068 - PHONE (740) 964-9550 - TOLL FREE 1-888-976-7446 - FAX (740) 964-9558 - WWW.BRANHAMSIGN.COM			

UL Underwriters Laboratories Inc.
ELECTRIC SIGN
COMPLIES TO UL 48

THIS SIGN IS INTENDED TO BE INSTALLED IN AN AREA OF THE NATIONAL ELECTRICAL CODE WHICH REQUIRES THE SIGN TO BE UL LISTED AND APPROVED BY THE AGENCY OF THE CITY.


INTERNALLY ILLUMINATED ALUMINUM FLAG SIGN
WITH PUSH-THRU ACRYLIC COPY DECORATED AS SHOWN
MOUNTED DIAGONALLY FROM CORNER



SALON LOFTS®


18" 21.75sqft 174"

INTERNALLY ILLUMINATED (WHITE LED) ALUMINUM REVERSE CHANNEL LETTERS
PANITED MATHEWS BRUSHE ALUMINUM MOUNT 2" FROM WALL FOR HALO ILLUMINATION



Branham Sign
COMPANY - INCORPORATED
A Full Service Sign Company Since 1968



CUSTOMER	SALON LOFTS	LOCATION	COOL CREEK INDIANAPOLIS IN
DATE	05242013	JOB PATH	G:\05242013\SalonLofts\ININD - Indianapolis Market\Cool Creek\PRINTOPT2_12
ALL DRAWINGS AND WRITTEN MATERIAL APPEARING HEREIN SHALL BE THE PROPERTY OF BRANHAM SIGN COMPANY. THE USER SHALL NOT REPRODUCE, COPY, DISTRIBUTE, OR DISCLOSE THE ORIGINAL OR ANY PART THEREOF WITHOUT THE WRITTEN CONSENT OF BRANHAM SIGN COMPANY.			
SCALE		PROPORTIONAL	
DRAWN		APPROVED	
127 CYPRESS ST. SW - REYNOLDSBURG, OHIO 43068 - PHONE (740) 964-9550 - TOLL FREE 1-888-976-7446 - FAX (740) 964-9558 - WWW.BRANHAMSIGN.COM			



TRANSLUCENT VINYL FOR EXISTING TENANT PANELS
 ACTUAL SIZES TO BE DETERMINED



VINYL COPY TO MATCH EXISTING →



VINYL COPY TO MATCH EXISTING ←

Branham Sign
 COMPANY • INCORPORATED
 A Full Service Sign Company Since 1968
 Altonabel
 MVA
 CHAMBER OF COMMERCE

CUSTOMER	SALON LOFTS	LOCATION	COOL CREEK VILLAGE - WESTFIELD, IN
DATE	02042012	JOB PATH	G:\JOBS\SalonLofts\IN\IND - Indianapolis,Market\Cool Creek\TENANT\PRINT
ALL DRAWINGS AND WRITTEN MATERIAL APPEARING HEREIN CONSTITUTE THE ORIGINAL AND UNPUBLISHED WORK OF THE SIGN CONTRACTOR AND MAY NOT BE DUPLICATED, USED, OR DISCLOSED WITHOUT THE WRITTEN CONSENT OF THE SIGN CONTRACTOR.			SCALE
127 CYPRESS ST. SW - REYNOLDSBURG, OHIO 43063 - PHONE (740) 964-9550 -TOLL FREE 1-888-976-7446 - FAX (740) 964-9558 - WWW.BRANHAMSIGN.COM			PROPORTIONAL
			APPROVED
			DRAWN BY
			SALES

EXHIBIT A

TRACT 1:

Part of the Southeast Quarter of Section 18, Township 18 North, Range 4 East in Washington Township, Hamilton County, described as follows: Commencing at the Southeast Corner of the Southeast Quarter of said Section 18; thence South 89 degrees 45 minutes 45 seconds West (an assumed bearing) 1,209.84 feet along the South line of the Southeast Quarter of said Section 18 to the eastern boundary line of the 0.165 acre tract of land described within Instrument Number 9709733807 of the Hamilton County Recorder's Office; thence North 00 degrees 14 minutes 15 seconds West 49.86 feet along the eastern boundary line of said 0.165 acre tract to the northern right-of-way line of 146th Street and Point of Beginning, the following six (6) courses are along the northern right-of-way line of 146th Street; 1) thence South 89 degrees 45 minutes 45 seconds West 418.44 feet; 2) thence South 03 degrees 48 minutes 39 seconds West 4.88 feet; 3) thence South 89 degrees 45 minutes 45 seconds West 110.66 feet; 4) thence North 89 degrees 41 minutes 45 seconds West 104.94 feet; 5) thence North 89 degrees 13 minutes 25 seconds West 105.30 feet; 6) thence North 86 degrees 55 minutes 40 seconds West 2.49 feet; thence North 00 degrees 14 minutes 15 seconds West 208.26 feet to the point of curvature to the right, said point being located South 89 degrees 45 minutes 45 seconds West 60.00 feet from the radius point of said curve; thence Northeasterly 95.11 feet along said curve to its point of reverse curvature, said point being located North 00 degrees 35 minutes 19 seconds East 60.00 feet from the radius point of said curve and said point being located South 00 degrees 35 minutes 19 seconds West 20.00 feet from the radius point of said reverse curve; thence Northeasterly 31.70 feet along said reverse curve to its point of tangency, said point being located North 89 degrees 45 minutes 45 seconds East 20.00 feet from the radius point of said curve; thence North 00 degrees 14 minutes 15 seconds West 65.69 feet to a point of curvature to the left, said point being located North 89 degrees 45 minutes 45 seconds East 80.00 feet from the radius point of said curve; thence Northerly 36.39 feet along said curve to its point of tangency, said point being located North 63 degrees 42 minutes 05 seconds East 80.00 feet from the radius point of said curve; thence North 26 degrees 17 minutes 55 seconds West 33.41 feet; thence North 89 degrees 45 minutes 45 seconds East 68.06; thence South 00 degrees 14 minutes 15 seconds East 15.84 feet to the northwest corner of the 0.359 acre tract of land described with Instrument Number 200200016833 of the Hamilton County Recorder's Office, the following three courses are along the western, southern and

eastern boundary line of said 0.359 acre tract; 1) thence South 00 degrees 14 minutes 15 seconds East 125.00 feet; 2) thence North 89 degrees 45 minutes 45 seconds East 125.00 feet; 3) thence North 00 degrees 14 minutes 15 seconds West 21.04 feet; thence North 89 degrees 45 minutes 45 seconds East 260.73 feet; thence North 00 degrees 14 minutes 15 seconds West 12.69 feet to the southern boundary line of the 0.693 acre tract of land described within Instrument Number 8810543 of the Hamilton County Recorder's Office; thence North 89 degrees 45 minutes 45 seconds East 230.00 feet along the southern boundary line of said 0.693 acre tract to the eastern boundary line of hte 0.165 acre tract of land described within Instrument Number 9709733807; thence South 00 degrees 14 minutes 15 seconds East 310.12 feet along the eastern boundary line of said 0.165 acre tract to the Point of Beginning containing 5.165 acres, more or less.

EXHIBIT A**TRACT 2:**

Part of the Southeast Quarter of Section 18, Township 18 North, Range 4 East in Washington Township, Hamilton County, described as follows:
Commencing at the Southeast Corner of the Southeast Quarter of Said Section 18; thence South 89 degrees 45 minutes 45 seconds West (an assumed bearing) 1,209.84 feet along the south Line of the Southeast Quarter of said Section 18 to the eastern boundary line of the 0.165 acre tract of land described within Instrument Number 9709733807 of the Hamilton County Recorder's Office; thence North 00 degrees 14 minutes 15 seconds West 49.86 feet along the eastern boundary line of said 0.165 acre tract to the northern right-of-way line of 146th Street, the following nine (9) courses are along the northern right-of-way line of 146th Street; 1)thence South 89 degrees 45 minutes 45 seconds West 418.44 feet; 2)thence South 03 degrees 48 minutes 39 seconds West 4.88 feet; 3)thence South 89 degrees 45 minutes 45 seconds West 110.66 feet; 4)thence North 89 degrees 41 minutes 45 seconds West 104.94 feet; 5)thence North 89 degrees 13 minutes 25 seconds West 105.30 feet; 6)thence North 86 degrees 55 minutes 40 seconds West 2.49 feet to the POINT OF BEGINNING; 7)thence North 86 degrees 55 minutes 40 seconds West 77.66 feet; 8)thence North 68 degrees 29 minutes 42 seconds West 35.43 feet; 9)thence South 89 degrees 45 minutes 45 seconds West 53.09 feet to the western boundary line of the 10.156 acre tract of land described withing Instrument Number 200200099123 of the Hamilton County Recorder's Office and said line also being located as the approximate centerline of Cool Creek, the following seven (7) courses are along the approximate centerline of Cool Creek; 1)thence north 14 degrees 02 minutes 48 seconds East 9.42 feet; 2)thence North 10 degrees 36 minutes 15 seconds West 266.63 feet; 3)thence North 06 degrees 42 minutes 12 seconds East 93.66 feet; 4)thence North 09 degrees 53 minutes 15 seconds East 142.50 feet; 5)thence North 46 degrees 18 minutes 05 seconds East 119.00 feet; 6)thence North 12 degrees 17 minutes 28 seconds West 140.97 feet; 7)thence North 01 degree 28 minutes 30 seconds East 100.80 feet to the Northern boundary line of said 10.156 acre tract, the following two (2) courses are along the northern and eastern boundary lines of said 10.156 acre tract; 1)thence North 89 degrees 45 minutes 45 seconds East 625.00 feet; 2)thence South 00 degrees 14 minutes 15 seconds East 530.75 feet; thence South 00 degree 14 minutes 15 seconds East 12.69 feet; thence South 89 degrees 45 minutes 45 seconds West 260.73 feet to the eastern boundary of the 0.359 acre tract of land described within Instrument Number 200200016833 of the Hamilton County Recorder's Office, the following two (2) courses are along the eastern and northern boundary lines of said 0.359 acre tract; 1)thence North 00 degrees 14 minutes 15 seconds West 103.96 feet; 2)thence South 89 degrees 45 minutes 45 seconds West 125.00 feet; thence north 00 degrees 14 minutes 15 seconds West 15.84 feet; thence South 89 degrees 45 minutes 45 seconds West

68.06 feet; thence South 26 degrees 17 minutes 55 seconds East 33.41 feet to a point of curvature to the right, said point being located North 63 degrees 42 minutes 05 seconds East 80.00 feet from the radius point of said curve; thence Southerly 36.39 feet along said curve to its point of tangency, said point being located North 89 degrees 45 minutes 45 seconds East 80.00 feet from the radius point of said curve; thence South 00 degrees 14 minutes 15 seconds East 65.69 feet to the point of curvature to the right, said point being located North 89 degrees 45 minutes 45 seconds East 20.00 feet from the radius point of said curve; thence Southwesterly 31.70 feet along said curve to its point of reverse curvature, said point being located South 00 degrees 35 minutes 19 seconds West 20.00 feet from the radius point of said curve and located North 00 degrees 35 minutes 19 seconds East 60.00 feet from the radius point of said reverse curve; thence Southwesterly 95.11 feet along said curve to its point of tangency, said point being located South 89 degrees 45 minutes 45 seconds West 60.00 feet from the radius point of said curve; thence South 00 degrees 14 minutes 15 seconds East 208.26 feet to the POINT OF BEGINNING containing 9.071 acres, more or less.

EXHIBIT "A"

Tract 3


Part of the Southeast Quarter of Section 18, Township 18 North, Range 4 East in Washington Township, Hamilton County, described as follows:

Commencing at the Southeast Corner the Southeast Quarter of said Section 18; thence South 89 degrees 45 minutes 45 seconds West (an assumed bearing) 1,209.84 feet along the South Line of the Southeast Quarter of said Section 18 to the eastern boundary line of the 0.165 acre tract of land described within Instrument Number 9709733807 of the Hamilton County Recorder's Office; Thence North 00 degrees 14 minutes 15 seconds West 360.00 feet along the eastern boundary line of said 0.165 acre tract to the southern boundary line of the 0.693 acre tract of land described within Instrument Number 8810543 of the Hamilton County Recorder's Office, the following four (4) courses are along the southern, western and northern boundary lines of said 0.693 acre tract; 1) South 89 degrees 45 minutes 45 seconds West 35.00 feet to the Point of Beginning; 2) thence South 89 degrees 45 minutes 45 seconds West 195.00 feet; 3) thence North 00 degrees 14 minutes 15 seconds West 100.00 feet; 4) thence North 89 degrees 45 minutes 45 seconds East 125.00 feet; thence South 00 degrees 14 minutes 15 seconds East 83.00 feet; thence North 89 degrees 45 minutes 45 seconds East 70.00 feet; thence South 00 degrees 14 minutes 15 seconds East 17.00 feet to the Point of Beginning containing 0.314 acres, more or less.

- SITE NOTES**
- ALL WORK TO CONFORM TO STATE AND LOCAL REGULATIONS.
 - ALL PARKING STRIPES ARE TO BE 4" PAINTED (WHITE). HANDICAPPED ACCESS AISLES SHALL BE 4" PAINTED (BLUE).
 - ALL DIMENSIONS ARE TO EDGE OF PAVEMENT OR FACE OF CURB, UNLESS NOTED OTHERWISE.
 - ALL DIMENSIONS ARE TO FACE OF BRICK OR FACING MATERIAL, WHERE APPLICABLE.
 - ALL DIMENSIONS ARE PARALLEL WITH OR PERPENDICULAR TO BASE LINES, PROPERTY LINES OR BUILDING LINES UNLESS NOTED OTHERWISE.
 - THE CONTRACTOR SHALL VERIFY ALL DIMENSIONS IN THE FIELD PRIOR TO START OF CONSTRUCTION. THE CONTRACTOR SHALL BE RESPONSIBLE FOR ALL FIELD DIMENSIONS. IF ANY DISCREPANCIES ARE FOUND IN THESE PLANS FROM ACTUAL FIELD CONDITIONS, THE CONTRACTOR SHALL NOTIFY THE ENGINEER IMMEDIATELY.
 - PROVIDE SMOOTH TRANSITIONS FROM NEW AREAS TO EXISTING FEATURES AS NECESSARY.
 - ALL EXCAVATED AREAS SHALL BE SEEDED AFTER FINISH GRADING UNLESS OTHERWISE NOTED. ALL NEW SEEDED AREAS SHALL HAVE A MINIMUM OF 4" OF TOP SOIL.
 - RESURFACE OR RECONSTRUCT AT LEAST TO ORIGINAL CONDITIONS ALL AREAS WHERE THE EXISTING PAVEMENT OR LAWNS ARE DAMAGED DURING CONSTRUCTION FROM TRAFFIC BY CONTRACTORS, SUBCONTRACTORS OR SUPPLIERS AFTER CONSTRUCTION WORK IS COMPLETE.
 - THE EDGE OF EXISTING ASPHALT PAVEMENT SHALL BE PROPERLY SEALED WITH A TACK COAT MATERIAL IN ALL AREAS WHERE NEW ASPHALT PAVEMENT IS INDICATED TO JOIN EXISTING ASPHALT.
 - ALL UTILITY TRENCHES WITHIN 6 FEET OF PAVEMENT SHALL BE COMPLETELY BACKFILLED WITH GRANULAR MATERIAL.
 - ALL ASPHALT TO BE IN ACCORDANCE WITH LND.O.T. STANDARD SPECIFICATIONS RELATIVE TO MATERIAL, MIX, PLACEMENT AND WORKMANSHIP.
 - CHAMFER ENDS OF ALL CURBS.
 - SEE ARCHITECTURAL PLANS FOR BUILDING DIMENSIONS.
 - ALL SIDEWALKS SHALL COMPLY WITH A.D.A. STANDARDS, MAX. CROSS SLOPE OF 4"/FT. & MAX. SLOPE OF 1:20.
 - EXISTING PAVEMENT TO BE SAWCUT IN ALL AREAS WHERE INDICATED NEW PAVEMENT TO JOIN EXISTING.
 - THE CONTRACTOR SHALL PROTECT AND NOT DESTROY THE PROPERTY CORNER MONUMENTS DURING CONSTRUCTION.

- PROPOSED SITE LEGEND**
- Light Duty Pavement
 - Heavy Duty Pavement
 - Right of Way Pavement
 - Pavement Milling and Resurfacing
 - Concrete
 - Concrete Overlay (on Bridge)
 - SideWalk Flush w/Pavement
 - Combined Curb & Walk
 - 6" Curb
 - 8" Curb
 - Combined Curb & Gutter Type 11
 - Combined Curb & Gutter Type 111
 - Combined Curb & Gutter (Hamilton County Highway Department-Modified, Type C)
 - Concrete Center Curb (Type C)
 - Retaining Wall
 - ADA Parking Sign
 - ADA Parking Sign (Van Accessible)
 - Stop Sign
 - 4" Solid Yellow, Paint Line
 - Architectural Wall
 - 24" Stop Bar, Thermoplastic, White
 - 4" Solid White, Paint Line
 - 4" Solid White Tape Line (3M 3801 ES-Per County Hwy. Stds.)
 - ADA Ramp
 - SideWalk
 - Parking Bumper
 - Directional Arrows, White (3M 3801 ES-Per County Hwy. Stds.)
 - Word Only, White (3M 3801 ES-Per County Hwy. Stds.)
 - Handicap Accessible Parking Space

- EXISTING LEGEND**
- Manhole
 - Fire Hydrant
 - Tree
 - Rebar Found
 - Drainage Manhole
 - Cut Wire
 - Power Pole
 - Electric Meter Box
 - Sanitary Manhole
 - Stand Pipe
 - Combination Pole
 - Pine
 - Right of Way Monument
 - Water Valve
 - Post
 - Clean Out
 - Air Conditioner
 - Telephone Cross Box
 - Gas Meter
 - Water Meter
 - S/GN
 - Mailbox
 - Beehive Inlet
 - Telephone Pedestal
 - Bench Mark
 - Curb Inlet
 - Ground Light
 - Gas Valve
 - TV Pedestal
 - Telephone Manhole
 - Pole
 - Mad Nail Set
 - Vent
 - Yard Light
 - Brace Pole
 - Metal End Section
 - Light Pole
 - Detector Housing
 - Transformer
 - Traffic Handhole
 - Traffic Pole
 - Well
 - Inlet
 - Electric Pedestal
 - Bush
 - Electric Handhole
 - Telephone Pole
 - Water Manhole
 - Sprinkler Control Valve




PARKING ANALYSIS

COMMERCIAL	6
HANDICAP PARKING PROVIDED	190
STANDARD PARKING - 10'x20'	198

CAUTION !!

THE LOCATIONS OF ALL EXISTING UNDERGROUND UTILITIES SHOWN ON THIS PLAN ARE BASED UPON ABOVE GROUND EVIDENCE (including, but not limited to, manholes, pits, valves, and marks made upon the ground by others) AND ARE SPECULATIVE IN NATURE. THERE MAY ALSO BE OTHER EXISTING UNDERGROUND UTILITIES FOR WHICH THERE IS NO ABOVE GROUND EVIDENCE OR FOR WHICH NO ABOVE GROUND EVIDENCE WAS OBSERVED. THE EXACT LOCATIONS OF SAID EXISTING UNDERGROUND UTILITIES SHALL BE VERIFIED BY THE CONTRACTOR PRIOR TO ANY AND ALL CONSTRUCTION.

1-800-382-5544
- INDIANA UNDERGROUND -



THOMPSON THRIFT MANAGEMENT, INC.
90 EXECUTIVE DRIVE, SUITE C
CARMEL INDIANA 46032

AMERICAN CONSULTING, INC.
7260 SHADELAND STATION
INDIANAPOLIS, IN 46252-3957
(317) 543-3957
FAC: (317) 543-3957
COURTESY: (317) 543-3957

CERTIFIED BY

SITE PLAN

COOL CREEK VILLAGE
146th STREET & COOL CREEK
WESTFIELD INDIANA

DATE: 02/08/07
DRAWN BY: CKW
CHK'D BY: WAB
JOB NO.: IN2006.0907

REVISIONS

PER TAC	03/02/07
RE-ISSUE	03/30/07
PER TOWN	04/17/07

SHEET NO.
C2.1
OF