

ORDINANCE NUMBER 15-24

AN ORDINANCE OF THE CITY OF WESTFIELD AND WASHINGTON TOWNSHIP, HAMILTON COUNTY, INDIANA CONCERNING AMENDMENT TO THE UNIFIED DEVELOPMENT ORDINANCE AND THE SPRING MILL STATION NORTHEAST QUADRANT PLANNED UNIT DEVELOPMENT DISTRICT ORDINANCE

This is an Ordinance to amend the Westfield-Washington Unified Development Ordinance of the City of Westfield and Washington Township, Hamilton County, Indiana (the "Unified Development Ordinance"), enacted by the City of Westfield pursuant to its authority under the laws of the State of Indiana, Ind. Code § 36-7-4 et seq., as amended:

WHEREAS, the City of Westfield, Indiana (the "City") and the Township of Washington, both of Hamilton County, Indiana are subject to the Unified Development Ordinance;

WHEREAS, the Council enacted Ordinance No. 14-39, Spring Mill Station Northeast Quadrant Planned Unit Development on September 8, 2014;

WHEREAS, the Westfield-Washington Advisory Plan Commission (the "Commission") considered a petition (**Petition No. 1508-PUD-15**), requesting an amendment to the Unified Development Ordinance, the Zoning Map and the Spring Mill Station Northeast Quadrant PUD Ordinance with regard to the subject real estate more particularly described in **Exhibit A** attached hereto (collectively, the "Real Estate");

WHEREAS, the Commission forwarded **Petition No. 1508-PUD-15** to the Common Council of the City of Westfield, Hamilton County, Indiana (the "Common Council") with a **positive** recommendation (8-0) in accordance with Indiana Code § 36-7-4-608, as required by Indiana Code § 36-7-4-1505;

WHEREAS, the Secretary of the Commission certified the action of the Commission to the Common Council on September 9th, 2015;

WHEREAS, the Common Council is subject to the provisions of the Indiana Code §36-7-4-1507 and Indiana Code § 36-7-4-1512 concerning any action on this request; and

NOW, THEREFORE, BE IT ORDAINED by the Common Council of the City of Westfield, Hamilton County, Indiana, meeting in regular session, that the Unified Development Ordinance and Spring Mill Station Northeast Quadrant Planned Unit Development and Zoning Map are hereby amended as follows:

Section 1. Applicability of Ordinance.

- 1.1 The Unified Development Ordinance and Zoning Map are hereby changed to incorporate the real estate described in **Exhibit A.4** into the Spring Mill Station Northeast Quadrant Planned Unit Development District (the “District”), and the real estate shall hereinafter be known as “Area A.4”.
- 1.2 Development of the Real Estate shall be governed by (i) the provisions of this Ordinance and its exhibits, (ii) the Spring Mill Station Northeast Quadrant PUD Ordinance (the “PUD Ordinance”); and (iii) the provisions of the Unified Development Ordinance, as amended and applicable to the Underlying Zoning District or a Planned Unit Development District, except as modified, revised, supplemented or expressly made inapplicable by this Ordinance or the PUD Ordinance.
- 1.3 All provisions and representations of the Unified Development Ordinance that conflict with the provisions of this Ordinance are hereby made inapplicable to the Real Estate and shall be superseded by the terms of this Ordinance.

Section 2. Definitions. The definitions of the PUD Ordinance shall apply in addition to the following:

- 2.1 **Curb Side Pickup Station:** Dedicated parking spaces with covered canopy, appurtenances and way finding/identification signage where merchandise is picked up.
- 2.2 **Anchor Store:** The existing Kroger building located in Area A.1, as generally depicted in **Exhibit B.1** of the PUD Ordinance.

Section 3. Permitted Uses. The permitted use in Area A.4 shall be a Curb Side Pickup Station. The service of curb side delivery shall be permitted utilizing existing parking spaces in Area A.1 with temporary signage, until such time that construction is complete on the elements as shown in **Exhibit B.** The curb side delivery service shall be discontinued in Area A. 1 one hundred eighty (180) days after the adoption of this Ordinance; unless otherwise approved by the Director.

Section 4. Setbacks/Building Separation. The following shall apply to “Area A.4”.

- 4.1 The separation between the Curbside Pickup Station and the existing grocery store shall be at least thirty (30) feet.
- 4.2 Side and Rear yards that abut existing residential shall be at least forty (40) feet.

Section 5. Parking. Article 6.14 of the UDO shall apply; however, Article 6.14(E), Stacking Requirements for Drive-Through Facilities, shall not apply.

Section 6. Landscaping. Article 6.8 of the UDO shall not apply; rather, landscaping and

screening shall be installed in substantial compliance with **Exhibit B.**

Section 7. **Sign Standards.** Article 6.17 of the UDO shall apply, except as otherwise modified below.

- A. The maximum permitted Sign Area for the Curb Side Pickup Station shall be one hundred (100) square feet.
- B. The maximum permitted Sign Area for the Anchor Store shall be five hundred (500) square feet.
- C. All signs shall be either (i) reverse channel letter, in accordance with Article 6.17(F)(9) of the UDO; or (ii) externally lit with gooseneck light fixtures.
- D. Ground identification signs shall be architecturally compatible with the architecture of the Real Estate's buildings.
- E. Signs for the Curb Side Pickup Station shall be installed in substantial compliance with **Exhibit C.**
- F. The signs depicted in **Exhibit D** shall be permitted until January 2, 2016, or until signs that conform to Section 7(C) of this Ordinance are installed, whichever occurs first.

Section 8. **Architectural and Streetscape Design Standards.** Article 6.3 of the UDO shall not apply; however, buildings shall be developed in substantial compliance with **Exhibit E.**

ALL OF WHICH IS ORDAINED/RESOLVED THIS 8th DAY OF SEPTEMBER, 2015.

WESTFIELD CITY COUNCIL

Voting For

Voting Against

Abstain

Jim Ake

Jim Ake

Jim Ake

Steven Hoover

Steven Hoover

Steven Hoover

Robert L. Horkay

Robert L. Horkay

Robert L. Horkay

Charles Lehman

Charles Lehman

Charles Lehman

Robert J. Smith

Robert J. Smith

Robert J. Smith

Cindy L. Spoljaric

Cindy L. Spoljaric

Cindy L. Spoljaric

Robert W. Stokes

Robert W. Stokes

Robert W. Stokes

ATTEST:

Cindy Gossard, Clerk Treasurer

I hereby certify that **ORDINANCE 15-24** was delivered to the Mayor of Westfield
on the _____ day of _____, 2015, at _____ m.

Cindy Gossard, Clerk-Treasurer

I hereby APPROVE **ORDINANCE 15-24**
this _____ day of _____, 2015.

J. Andrew Cook, Mayor

I hereby VETO **ORDINANCE 15-24**
this _____ day of _____, 2015.

J. Andrew Cook, Mayor

This document prepared by: Paula J. Gartner, PE

EXHIBIT A.1



Evans, Mechwart, Hambleton & Tilton, Inc.
Engineers • Surveyors • Planners • Scientists
7400 N. Shadeland Ave., Ste. 150, Indianapolis, IN 46250
Phone: 317.913.6930 Toll Free: 888.775.3648

emht.com

TOWN OF WESTFIELD, HAMILTON, INDIANA
EXHIBIT "A.1"
FOR
KROGER J970
GROCERY STORE EXPANSION AREA
LAND DESCRIPTION

DATE: **AUGUST 14, 2014**

JOB NO. **20130351**

SCALE: **None**

DESCRIPTION FOR GROCERY STORE EXPANSION AREA:

PART OF THE NORTHWEST QUARTER OF SECTION 11, TOWNSHIP 18 NORTH, RANGE 03 EAST,
HAMILTON COUNTY, INDIANA, MORE PARTICULARLY DESCRIBED AS FOLLOWS:

COMMENCING AT THE SOUTHWEST CORNER OF SAID QUARTER SECTION AND RUNNING THENCE
NORTH 89 DEGREES 11 MINUTES 57 SECONDS EAST ALONG THE SOUTH LINE THEREOF A DISTANCE OF
1203.25 FEET; THENCE NORTH 00 DEGREES 02 MINUTES 40 SECONDS WEST A DISTANCE OF 44.66
FEET TO THE POINT OF BEGINNING; THENCE SOUTH 89 DEGREES 11 MINUTES 17 SECONDS WEST A
DISTANCE OF 401.55 FEET; THENCE NORTH 00 DEGREES 48 MINUTES 43 SECONDS WEST A DISTANCE
OF 367.66 FEET; THENCE NORTH 89 DEGREES 11 MINUTES 17 SECONDS EAST A DISTANCE OF 40.87
FEET; THENCE NORTH 00 DEGREES 48 MINUTES 43 SECONDS WEST A DISTANCE OF 80.07 FEET;
THENCE NORTH 23 DEGREES 16 MINUTES 50 SECONDS EAST A DISTANCE OF 79.66 FEET; THENCE
NORTH 89 DEGREES 13 MINUTES 36 SECONDS EAST A DISTANCE OF 110.91 FEET; THENCE SOUTH 00
DEGREES 43 MINUTES 51 SECONDS EAST A DISTANCE OF 35.92 FEET; THENCE NORTH 89 DEGREES 13
MINUTES 36 SECONDS EAST A DISTANCE OF 66.97 FEET; THENCE SOUTH 00 DEGREES 49 MINUTES 03
SECONDS EAST A DISTANCE OF 36.68 FEET; THENCE NORTH 89 DEGREES 11 MINUTES 17 SECONDS
EAST A DISTANCE OF 156.33 FEET; THENCE SOUTH 00 DEGREES 02 MINUTES 40 SECONDS EAST A
DISTANCE OF 447.76 FEET TO THE POINT OF BEGINNING; CONTAINING 4.35 ACRES, MORE OR LESS.

EXHIBIT A.2

TOWN OF WESTFIELD, HAMILTON, INDIANA

EXHIBIT "A.2"

FOR

KROGER J970

FUEL CENTER EXPANSION AREA

LAND DESCRIPTION




Evans, Mechwart, Hambleton & Tilton, Inc.
 Engineers • Surveyors • Planners • Scientists
 7400 N. Shadeland Ave., Ste. 150, Indianapolis, IN 46250
 Phone: 317.913.6930 Toll Free: 888.775.3648

emht.com

DATE: August 14, 2014

JOB NO. 20130351

SCALE: None



ALL DIMENSIONS UNLESS OTHERWISE SPECIFIED ARE IN FEET AND DECIMALS THEREOF. THIS PLAN IS THE PROPERTY OF EMH&T AND IS NOT TO BE REPRODUCED OR TRANSMITTED IN ANY FORM OR BY ANY MEANS, ELECTRONIC OR MECHANICAL, INCLUDING PHOTOCOPYING, RECORDING, OR BY ANY INFORMATION STORAGE AND RETRIEVAL SYSTEM, WITHOUT THE WRITTEN PERMISSION OF EMH&T.

EXHIBIT A.2



Evans, Mechwart, Hambleton & Tilton, Inc.
Engineers • Surveyors • Planners • Scientists
7400 N. Shadeland Ave., Ste. 150, Indianapolis, IN 46250
Phone: 317.913.6930 Toll Free: 888.775.3648

emht.com

TOWN OF WESTFIELD, HAMILTON, INDIANA

EXHIBIT "A.2"

FOR

KROGER J970

FUEL CENTER EXPANSION AREA

LAND DESCRIPTION

DATE: **August 14, 2014**

JOB NO. **20130351**

SCALE: **None**

DESCRIPTION FOR FUEL CENTER EXPANSION AREA:

PART OF THE NORTHWEST QUARTER SECTION 11, TOWNSHIP 18 NORTH, RANGE 3 EAST, HAMILTON COUNTY, INDIANA, MORE PARTICULARLY DESCRIBED AS FOLLOWS:

COMMENCING AT THE SOUTHWEST CORNER OF THE ABOVE MENTIONED QUARTER, NORTH 00 DEGREES 00 MINUTES (ASSUMED BEARING) ALONG THE WEST LINE OF SAID QUARTER SECTION 361.38 FEET TO THE PLACE OF BEGINING TO THIS DESCRIPTION, THENCE CONTINUING ALONG SAID LINE 249.52 FEET TO A POINT; THENCE NORTH 90 DEGREES 00 MINUTES EAST 312.00 FEET TO A POINT; THENCE SOUTH 00 DEGREES 00 MINUTES EAST 249.52 FEET TO A POINT; THENCE SOUTH 90 DEGREES 00 MINUTES WEST 312.00 FEET TO A POINT WHICH IS THE BEGINNING POINT OF THIS DESCRIPTION; CONTAINING, EXCLUDING THE RIGHT-OF-WAY OF SPRING MILL ROAD, 1.527 ACRES, MORE OR LESS.

EXHIBIT A.3



Evans, Mechwart, Hambleton & Tilton, Inc.
Engineers • Surveyors • Planners • Scientists
7400 N. Shadeland Ave., Ste. 150, Indianapolis, IN 46250
Phone: 317.913.6930 Toll Free: 888.775.3648

emht.com

TOWN OF WESTFIELD, HAMILTON, INDIANA

EXHIBIT "A.3"

FOR

KROGER J970

EXISTING FUEL CENTER REDEVELOPMENT AREA LAND DESCRIPTION

DATE: August 14, 2014


JOB NO. 20130351

SCALE: None

DESCRIPTION FOR EXISTING FUEL CENTER REDEVELOPMENT AREA:

PART OF THE NORTHWEST QUARTER OF SECTION 11, TOWNSHIP 18 NORTH, RANGE 03 EAST, HAMILTON COUNTY, INDIANA, MORE PARTICULARLY DESCRIBED AS FOLLOWS:

COMMENCING AT THE SOUTHWEST CORNER OF SAID QUARTER SECTION AND RUNNING THENCE NORTH 00 DEGREES 02 MINUTES 40 SECONDS WEST (ASSUMED BEARING) ALONG THE WEST LINE THEREOF A DISTANCE OF 316.60 FEET; THENCE NORTH 89 DEGREES 11 MINUTES 17 SECONDS EAST A DISTANCE OF 45.00 FEET TO THE POINT OF BEGINNING; THENCE NORTH 89 DEGREES 11 MINUTES 17 SECONDS EAST 118.85 FEET; THENCE SOUTH 00 DEGREES 48 MINUTES 43 SECONDS EAST A DISTANCE OF 272.15 FEET; THENCE SOUTH 89 DEGREES 11 MINUTES 17 SECONDS WEST A DISTANCE OF 82.30 FEET; THENCE NORTH 46 DEGREES 03 MINUTES 43 SECONDS WEST A DISTANCE OF 55.79 FEET; THENCE NORTH 00 DEGREES 03 MINUTES 23 SECONDS WEST A DISTANCE OF 232.90 FEET TO THE POINT OF BEGINNING; CONTAINING 0.736 ACRES, MORE OR LESS.



PROPOSED E-COMMERCE AREA DESCRIPTION

PART OF THE NORTHWEST QUARTER OF SECTION 11, TOWNSHIP 18 NORTH, RANGE 03 EAST IN THE CITY OF WESTFIELD, HAMILTON COUNTY, INDIANA, MORE PARTICULARLY DESCRIBED AS FOLLOWS:

COMMENCING AT THE SOUTHWEST CORNER OF SAID QUARTER SECTION; THENCE NORTH 89 DEGREES 11 MINUTES 57 SECONDS EAST ALONG THE SOUTH LINE THEREOF A DISTANCE OF 1203.25 FEET; THENCE NORTH 00 DEGREES 02 MINUTES 40 SECONDS WEST ALONG THE EAST LINE OF THE LAND DESCRIBED TO KROGER LIMITED PARTNERSHIP I IN INSTRUMENT #2006-3057 RECORDED IN THE OFFICE OF THE HAMILTON COUNTY RECORDER A DISTANCE OF 492.42 FEET TO THE NORTHEAST CORNER THEREOF AND THE POINT OF BEGINNING OF THIS DESCRIPTION; THENCE SOUTH 89 DEGREES 11 MINUTES 17 SECONDS WEST ALONG THE NORTH LINE OF SAID LAND A DISTANCE OF 366.67 FEET TO THE NORTHWEST CORNER THEREOF; THENCE NORTH 00 DEGREES 48 MINUTES 43 SECONDS WEST A DISTANCE OF 114.42 FEET TO THE NORTH LINE OF THE LAND DESCRIBED TO COMMERCIAL DEVELOPMENT PROPERTIES IN INSTRUMENT #2004-33913 RECORDED IN THE OFFICE OF THE HAMILTON COUNTY RECORDER; THENCE NORTH 89 DEGREES 11 MINUTES 57 SECONDS EAST ALONG THE NORTH LINE OF SAID LAND A DISTANCE OF 368.21 FEET TO THE NORTHEAST CORNER THEREOF; THENCE SOUTH 00 DEGREES 02 MINUTES 40 SECONDS EAST ALONG THE EAST LINE OF SAID LAND A DISTANCE OF 114.36 FEET TO THE POINT OF BEGINNING, CONTAINING 0.965 ACRES, MORE OR LESS.

EMH&T
 Evans, Mechwart, Hambleton & Tilton, Inc.
 Engineers • Surveyors • Planners • Scientists
 7400 N. Shadeland Ave., Ste. 150, Indianapolis, IN 46250
 Phone: 317.913.6930 Toll Free: 888.775.3648
 emht.com

CITY OF WESTFIELD, INDIANA
 EXHIBIT A
 FOR
KROGER J970
CURB SIDE PICK UP


JULY 23, 2015

1" = 60'

2015-0601

STRAUGHN LANE

GRAPHIC SCALE



2

DECIDUOUS SHADE TREE-TYP.
Tulip Tree, *Liriodendron tulipifera*,
over 75' high and 40' wide

LANDSCAPE BERM

31LF-8' SHADOWBOX
WOODEN FENCE

4

EVERGREEN TREE-TYP.
American Arborvitae, Thuja occidentalis,
over 30' high and 12' wide

ORNAMENTAL DECIDUOUS TREE-TYP.
Crabapple, Malus cultivars,
over 15' high and 15' wide

EXISTING MAINTENANCE BUILDING

ENTRANCE CURB SIDE PICK-UP

CURB SIDE PICK-UP
"ENTER" SIGN

CURB SIDE PICK-UP
DELIVERY ROUTE

STOP

CURB SIDE PICK-UP
"THANK YOU" SIGN

STOP

DO NOT ENTER

Rx DRIVE-THRU

KROGER STORE

1000 SF
CURB SIDE
PICK-UP
PREP AREA



Engineers, Surveyors, Planners, Scientists

Job Number: 2015-0601

SITE DATA

SPACES LOST TO E-COMMERCE	0
---------------------------	---

CURB SIDE PICK-UP PLAN

September 03, 2015



J970 Westfield, Indiana

EXHIBIT C.1



Evans, Mechwart, Hambleton & Tilton, Inc.
Engineers • Surveyors • Planners • Scientists
7400 N. Shadeland Ave., Ste. 150, Indianapolis, IN 46250
Phone: 317.913.6930 Toll Free: 888.775.3648

emht.com

CITY OF WESTFIELD, HAMILTON COUNTY, INDIANA

EXHIBIT


FOR

KROGER J-970 CURB SIDE PICK-UP SIGNAGE PLAN

DATE: August 10, 2015

JOB NO. 2015-0601

SCALE: None



KEY

- (A) MONUMENT SIGN
- (B) "ENTER" SIGN
- (C) CALL BOX SIGN
- (D) "EXIT" SIGN



Engineers, Surveyors, Planners, Scientists



EXHIBIT C.2



Evans, Mechwart, Hambleton & Tilton, Inc.
Engineers • Surveyors • Planners • Scientists
7400 N. Shadeland Ave., Ste. 150, Indianapolis, IN 46250
Phone: 317.913.6930 Toll Free: 888.775.3648

emht.com

CITY OF WESTFIELD, HAMILTON COUNTY, INDIANA

EXHIBIT

FOR


KROGER J-970 CURB SIDE PICK-UP

"THANK YOU" SIGN - DETAIL D

DATE: June 12, 2015

JOB NO. 2015-0596

SCALE: None



"THANK YOU" SIGN (NON-ILLUMINATED)

Aluminum angle frame with aluminum and Desert Slate Quarry Stone.
Directional copy to be 1st surface white reflective vinyl decoration.
PMS 293U Blue circle on a white background.



EXHIBIT C.3



Evans, Mechwart, Hambleton & Tilton, Inc.
 Engineers • Surveyors • Planners • Scientists
 7400 N. Shadeland Ave., Ste. 150, Indianapolis, IN 46250
 Phone: 317.913.6930 Toll Free: 888.775.3648

emht.com

CITY OF WESTFIELD, HAMILTON COUNTY, INDIANA

EXHIBIT


FOR

KROGER J-970 CURB SIDE PICK-UP CALL BOXES - DETAIL C

DATE: June 12, 2015

JOB NO. 2015-0596

SCALE: None



CALL BOXES

Speaker mechanism by others.

Aluminum angle frame with aluminum and Desert Slate Quarry Stone.

Copy to be 1st surface vinyl decoration.

PMS 293U Blue background with white copy for "Check In".

PMS 293U Blue copy for call button instruction.

Open bottom for conduit.

Quarry Stone:
 Color: Desert Slate

COLOR KEY
 PMS 293U
 WHITE

EXHIBIT C.4



Evans, Mechwart, Hambleton & Tilton, Inc.
Engineers • Surveyors • Planners • Scientists
7400 N. Shadeland Ave., Ste. 150, Indianapolis, IN 46250
Phone: 317.913.6930 Toll Free: 888.775.3648

emht.com

CITY OF WESTFIELD, HAMILTON COUNTY, INDIANA

EXHIBIT

FOR


KROGER J-970 CURB SIDE PICK-UP

"ENTER" SIGN - DETAIL B

DATE: June 12, 2015

JOB NO. 2015-0596

SCALE: None



"ENTER" SIGN (NON-ILLUMINATED)

Aluminum angle frame with aluminum and Desert Slate Quarry Stone.
Directional copy to be 1st surface white reflective vinyl decoration.
PMS 293U Blue circle on a white background.

Quarry Stone:
Color: Desert Slate

COLOR KEY

■ PMS 293U

□ WHITE

EXHIBIT C.5



Evans, Mechwart, Hambleton & Tilton, Inc.
Engineers • Surveyors • Planners • Scientists
7400 N. Shadeland Ave., Ste. 150, Indianapolis, IN 46250
Phone: 317.913.6930 Toll Free: 888.775.3648

emht.com

CITY OF WESTFIELD, HAMILTON COUNTY, INDIANA

EXHIBIT


FOR

KROGER J-970 CURB SIDE PICK-UP MONUMENT SIGN @ 161ST - DETAIL A

DATE: August 3, 2015

JOB NO. 2015-0601

SCALE: None



MONUMENT SIGN (INTERNALLY ILLUMINATED)

Routed aluminum faces with push-thru, illuminated copy.
Base to be decorated with Desert Slate Quarry Stone.
Removeable base cover - aluminum painted dark grey.
Open bottom for conduit.
Fabricated white "topper" to be single piece,
removable via top fasteners.

Quarry Stone:
Color: Desert Slate

COLOR KEY
■ PMS 293U
□ WHITE

EXHIBIT C.6



Engineers, Surveyors, Planners, Scientists

Job Number: 2015-0601

CANOPY SIGN

August 3, 2015



J970 Westfield, Indiana

EXHIBIT D.2

Sign Area: 211.57sf



Project: Kroger

Account Rep:
Danny Gayde

Client Approval:

Address:

Request I.D.

City / State:

Design Date:
June 02.15

Design I.D.:

Photo I.D.

060215Pylon

Scale: 1/4" = 1'-0"
PHOTO ELEV. NOT TO SCALE

© All artwork, design concepts, engineering drawings and reproductions are copyright protected and shall remain the sole property of SignDoc Identity LLC. Use of this material without prior knowledge and consent of SignDoc Identity LLC management is forbidden. Customer will be responsible for all legal action and compensation.

(317) 247.9670
877-381-SIGN 7446



EXHIBIT D.3

Sign Area: 40.47sf

060-00005154 (120v)
060-00005157 (277v)

SINGLE FACE WALL SIGN

PAN FORMED POLYCARBONATE FACE
EMBOSSSED GRAPHICS.
RED AND BLUE VINYL GRAPHICS

 3630-157


 3630-33

 WHITE

RETURNS:
AKZO TO MATCH
MATTHEWS P&L 2530
CATTAIL GRAY
(Gloss Level T.B.D.)




SCALE: 1" = 1'-0"



EMBOSSMENT DETAIL

Embossment Depth T.B.D.



ACTUAL SQ. FT.: 31.65

403-LOGO-5X75C-120
402-LOGO-5X75C-277



THIS IS AN ORIGINAL UNPUBLISHED DRAWING CREATED FOR YOUR PERSONAL USE IN CONNECTION WITH A PROJECT PLANNED FOR YOU BY CUMMINGS SIGNS. IT IS NOT TO BE SHOWN OUTSIDE YOUR ORGANIZATION NOR USED, REPRODUCED, COPIED, OR EXHIBITED IN ANY FASHION UNLESS AUTHORIZED IN WRITING BY AN OFFICER OF CUMMINGS SIGNS.

CUSTOMER APPROVAL:

DATE:

DATE BY

Rev. #1 _____

Rev. #2 _____

Rev. #3 _____

DATE BY

Rev. #4 _____

Rev. #5 _____

Rev. #6 _____



DRAWING NO:

52602 MSC

DATE: 6-30-09


D. Hawke

EXHIBIT D.4

Sign Area: 57.75sf

21' in

CHANNEL LETTER SET - RACEWAY MOUNT





Actual sq. ft.: 33.25

 2793 RED ACRYLIC FACE

 JEWELITE TRIMCAP BRONZE

FILLER:
AKZO TO MATCH
MATTHEWS P&L 2530
CATTAIL GRAY
(Gloss Level T.B.D.)



THIS IS AN ORIGINAL UNPUBLISHED DRAWING CREATED FOR YOUR PERSONAL USE IN CONNECTION WITH A PROJECT PLANNED FOR YOU BY CUMMINGS SIGNS. IT IS NOT TO BE SHOWN OUTSIDE YOUR ORGANIZATION NOR USED, REPRODUCED, COPIED, OR EXHIBITED IN ANY FASHION UNLESS AUTHORIZED IN WRITING BY AN OFFICER OF CUMMINGS SIGNS.

CUSTOMER APPROVAL:
DATE: _____

Rev. #	DATE	BY	Rev. #	DATE	BY
Rev. #1	_____	_____	Rev. #4	_____	_____
Rev. #2	_____	_____	Rev. #5	_____	_____
Rev. #3	_____	_____	Rev. #6	_____	_____



FIG. 0120-RX-DT-RW100
FIG. 0120-RX-DT-RW277
DRAWING NO:
53154.24
DATE: 2-7-09
S. Hawke

EXHIBIT D.5

Sign Area: 49.69sf





EXHIBIT D.6

Sign Area: 56.42sf



SCOPE OF WORK:

Remove and discard existing 18" channel letter set. Install one (1) new set of raceway mounted channel letters. Letters are 18" tall and internally illuminated with LEDs. New set installs in same position on elevation.


DESCRIPTION:

New set of internally illuminated raceway mounted channel letters. Letters to be of aluminum construction with pre-finished black returns and white letter interior. Letter faces to be 7328 LD white acrylic with translucent vinyl overlay applied first surface. Leave white border around letter perimeter. Faces are secured with Jewelite trimcap. Illumination to be Lumificient White LED's. All letters are mounted to 5 1/2" tall x 3 1/2" deep aluminum raceway, which installs on elevation. Power supplies are located inside raceway.

COLOR SCHEDULE:

- Letter faces = 7328 LD white acrylic with 3M 3630-76 Holly Green translucent vinyl overlay leaving outline to show white border around letters
- Aluminum Returns = Pre-finished black
- Jewelite Trimcap = 1" Black
- Internal Illumination = Lumificient White LED's
- Aluminum Raceway = TBD is not a color

MOUNTING DETAIL



ELECTRICAL NOTES

1. All materials and fasteners meet 3004.4
2. All electrical components are UL listed and approved.
3. Sign grounded according to NEC 600.7
4. Signs manufactured and listed NEC 600.3 and marked per NEC 600.4.
5. All branch circuits per NEC 600.5 (B), 1 or (B), 2.
6. All Signs controlled by photocell or time clock per FBC 13-415. (ABC), 1, 4.
7. One visible 20 amp disconnect per sign per circuit per NEC 600.5(A), 1

ELECTRICAL CHART

POWER SUPPLIES	BANK	LED Ft + Jumpers (incl. air-co-enclose)	AMPS (@ 120V)
1	1	22.0' + 3'	0.6A
	2	20.0' + 4'	
2	1	18.0' + 4'	0.6A
	2	Not Used	
TOTAL		68.0' + 11' Jumpers	1.2A

KEY

	LED
	Jumper

Client Approval:

Project: STARBUCKS
Account Rep: Danny Gayde
Design Date: 8.06.15
Version: Version 1 STACKED
Scale: 1/2" = 1'-0"
 PHOTO ELEV. NOT TO SCALE

Checklist
 Please ✓ all appropriate lines.

- Art approved as is.
- All spelling is correct.
- All colors are correct.
- All dimensions are correct.
- Art is approved with noted changes.
- Changes noted, provide revision.

"WHEN DEPENDABILITY MATTERS"

SIGN DOC

IDENTITY LLC.

317-247-9670

www.SIGNDOC.com

dg **DIGITAL GRAPHICS & WRAPS**

A Division of SignDoc

765-349-9500


www.DGGRAPHICSIGNS.com

© All artwork, design concepts, engineering drawings and reproductions are copyright protected and shall remain the sole property of SignDoc Identity, LLC. Use of this material without prior knowledge and consent of SignDoc Identity, LLC management is forbidden. Customer will be responsible for all legal action and compensation.

EXHIBIT D.7

THIS INFORMATION IS STRICTLY CONFIDENTIAL, AND NOT TO BE SHARED WITH ANYONE OUTSIDE THE KROGER CO.

3' 4" 11



	<small>THIS IS AN ORIGINAL UNPUBLISHED DRAWING CREATED FOR YOUR BUSINESS. USE OF THIS DRAWING FOR ANY OTHER PROJECT WITHOUT THE WRITTEN PERMISSION OF THE DESIGNER IS STRICTLY PROHIBITED. YOUR DESIGNER IS NOT RESPONSIBLE FOR ANY ERRORS OR OMISSIONS IN THIS DRAWING. PLEASE CONTACT YOUR DESIGNER FOR ANY QUESTIONS OR CONCERNS.</small>	CUSTOMER/PROJECT: _____	DATE: _____ BY: _____	DATE: _____ BY: _____		DRAWING NO: 63270.018
		DATE: _____ BY: _____	DATE: _____ BY: _____	DATE: _____ BY: _____		DATE: 8/25/2010 BY: [signature]


*****Self-Contained Internally Illuminated Hanging Sign is recommended to be used if zoning does not permit the use of exterior Murray's Cheese signage*****

Sign Area: 53.00sf

EXHIBIT D.8

OPEN FACE NEON ILLUMINATED CHANNEL LETTERS RACEWAY MOUNTED

Sign Area: 26.67sf



NEON ILLUMINATED INDIVIDUAL CHANNEL LETTERS
-3" DEEP ALUMINUM RETURNS PAINTED BLUE
PANTONE #293
WHITE NEON TUBING ILLUMINATION
-ALL UNITS MOUNTED TO ALUMINUM RACEWAY
-RACEWAY PAINTED TO MATCH BLDG. FACIA
AS CLOSE AS POSSIBLE

NEON ILLUMINATED INDIVIDUAL CHANNEL LETTERS
-5" DEEP ALUMINUM RETURNS PAINTED RED
PANTOE #186
-CLEAR RED NEON TUBING INTERNAL ILLUMINATION
-ALL UNITS MOUNTED TO ALUMINUM RACEWAY
-RACEWAY PAINTED TO MATCH BLDG. FACIA
AS CLOSE AS POSSIBLE

Project:

Account Rep:
Name

Client Approval:

Address:

Request I.D.

City / State:

Design Date:
Jan 14-10

Design I.D.:
ID

Photo I.D.

Scale: 1/2" = 1'-0"
PHOTO ELEV. NOT TO SCALE

© All artwork, design concepts, engineering drawings and reproductions are copyright protected and shall remain the sole property of SignDoc Identity LLC. Use of this material without prior knowledge and consent of SignDoc Identity LLC management is forbidden. Customer will be responsible for all legal action and compensation.

(317) 247-9670
877-381-SIGN 7446



EXHIBIT E



NORTH/SOUTH ELEVATION



EAST/WEST ELEVATION

ALL MATERIALS ON PROPOSED CANOPY TO
MATCH MATERIALS ON FUEL CENTER CANOPY



proposed canopy

July 21, 2015

Kroger J970

Westfield, IN
51311

