



11 GRANDVIEW CIRCLE, SUITE 220
CANONSBURG, PA 15317

GN 161ST & TOWNE

BU# 821809

16414 TOWNE RD
WESTFIELD, IN 46074
HAMILTON COUNTY

TENANT: GTE MOBILNET OF INDIANA LIMITED PARTNERSHIP
d/b/a VERIZON WIRELESS
GN 161ST & TOWNE



520 South Main Street, Suite 2531
Aurora, OH 44202
330.572.2100 Fax: 330.572.2102

CROWN
CASTLE



11 GRANDVIEW CIRCLE, SUITE 220
CANONSBURG, PA 15317

PROPOSED 160' MONOPOLE TOWER w/8' LIGHTNING ROD -TOTAL TOWER HEIGHT 168'

FROM GUION ROAD MTSO: 3965 INDUSTRIAL BLVD. INDIANAPOLIS, IN: HEAD NORTH ON INDUSTRIAL BLVD TOWARD GUION RD (0.4 MI.). TURN LEFT (NORTH) ONTO GUION RD (3.6 MI.). TURN RIGHT (EAST) ONTO W 71ST ST (1.2 MI.). TURN LEFT (NORTH) ON MICHIGAN RD (0.9 MI.). TURN RIGHT (EAST) ONTO W 79TH ST (0.7 MI.). TURN LEFT (NORTH) ONTO TOWNSHIP LINE RD (2.0 MI.). AT THE TRAFFIC CIRCLE, TAKE THE 2ND EXIT ONTO TOWNE RD (3.0 MI.). AT THE TRAFFIC CIRCLE, TAKE THE FIRST EXIT AND STAY ON TOWNE RD (0.2 MI.). AT THE TRAFFIC CIRCLE, TAKE THE 2ND EXIT AND STAY ON TOWNE RD (0.3 MI.). AT THE TRAFFIC CIRCLE, TAKE THE 2ND EXIT AND STAY ON TOWNE RD (0.5 MI.). AT THE TRAFFIC CIRCLE, TAKE THE 2ND EXIT AND STAY ON TOWNE RD (2.3 MI.). SITE WILL BE LOCATED ON THE LEFT (WEST) SIDE OF THE ROAD.

<p>CROWN CASTLE SITE GN 161ST & TOWNE BU # 821809 JOB # 332509 VERIZON WIRELESS SITE GN 161ST & TOWNE PROJECT#: 20151179397 MARKET ID: INDIANAPOLIS LOCATION CODE: 311960</p> <p>SITE ADDRESS 16414 TOWNE RD WESTFIELD, IN 46074 HAMILTON COUNTY E#11 ADDRESS: TBD</p> <p>TOWER OWNER CROWN CASTLE 9045 RIVER RD, SUITE 425 INDIANAPOLIS, IN 46240 CONTACT: THOMAS ARMSTRONG PHONE: 317-249-2030 MOBILE: 317-441-9371 E-MAIL: Thomas.Armstrong@corncastle.com</p> <p>PROPERTY OWNER THOMAS M & LEBETH D ARMSTRONG 16414 TOWNE RD WESTFIELD, IN 46074 CONTACT: THOMAS ARMSTRONG PHONE: 317-416-1229 E-MAIL: N/A</p>	<p>POLICE WESTFIELD POLICE DEPT. 17535 E 5TH ST WESTFIELD, IN 46074 PHONE: 317-896-9336</p> <p>FIRE WESTFIELD FIRE DEPT. 17535 BARKOWN RD WESTFIELD, IN 46074 PHONE: 317-896-2704</p> <p>GENERAL INFORMATION LATITUDE = 40° 31' 23.58" N LONGITUDE = 86° 12' 13.49" W 1983 (NAD83) ELEVATION = 903.50' AMSL 1988 (NAD83)</p> <p>CROWN CASTLE LEASE AREA 100'-0" x 100'-0" 10,000 SF</p> <p>VERIZON WIRELESS LEASE AREA 23'-0" x 36'-0" (720 SF)</p>
---	--

<p>PROJECT DESCRIPTION: NOTE: ALL ITEMS WITHIN THESE CONSTRUCTION DOCUMENTS ARE BY TOWER OWNER'S GENERAL CONTRACTOR AND HIS SUB-CONTRACTORS UNLESS NOTED AS (VZW GO) WHICH SHALL INCLUDE VERIZON WIRELESS GENERAL CONTRACTOR AND HIS SUB-CONTRACTORS. GENERALLY DESCRIBED BELOW: CROWN CASTLE USE CODES</p> <ul style="list-style-type: none"> INSTALL A NEW 160' MONOPOLE TOWER w/ 8' LIGHTNING ROD (TOTAL 168') INSTALL A NEW TOWER FOUNDATION SYSTEM INSTALL A NEW 80'-0" x 80'-0" FENCED GRAVEL COMPOUND INSTALL A NEW ELECTRICAL SERVICE PUN TO SITE H-FRAME INSTALL A NEW GRAVEL ACCESS DRIVE NO WATER OR SEWAGE SERVICES RUN TO SITE INSTALL NEW TOWER & SITE GROUNDING SYSTEM INSTALL NEW VZW SUBSURFACE GROUNDING SYSTEM INSTALL A NEW 11'-6" x 25'-5.5" CONCRETE EQUIPMENT PAD & FOUNDATION INSTALL ELECTRICAL SERVICE CONDUIT WITH PULL TAPES FROM EQUIPMENT SHELTER TO UTILITY H-FRAME INSTALL (1) NEW FIBER OPTIC CONDUIT w/ PULL TAPE FROM NEW PULL BOX AT COMPOUND TO PUBLIC R.O.W. w/ NEW PULL BOX AT R.O.W. FOR FUTURE FIBER INSTALL (1) NEW VERIZON WIRELESS ONLY FIBER OPTIC CONDUIT w/ PULL TAPE & TRACER WIRE FROM VZW EQUIPMENT SHELTER TO NEW VERIZON WIRELESS ONLY HAND HOLE OUTSIDE COMPOUND INSTALL (1) NEW VERIZON WIRELESS ONLY FIBER OPTIC CONDUIT w/ PULL TAPE FROM NEW HAND HOLE & STUB UP AT FUTURE FIBER PEDISTAL LOCATION VERIZON WIRELESS SCOPE (VZW GO): INSTALL A NEW 11'-6" x 25'-5.5" PREFABRICATED RADIO EQUIPMENT SHELTER ON EXISTING CONCRETE PAD INSTALL VZW ICE BRIDGE AND FOUNDATIONS INSTALL VZW ANTENNA MOUNTING SUPPORT STRUCTURE ON TOWER INSTALL VZW ANTENNAS, LINES, COAX, GPS ANTENNAS & RADIO EQUIPMENT INSTALL EXISTING SUBSURFACE GROUND LEADS TO VZW EQUIPMENT & FACILITIES INSTALL VZW ELECTRIC SERVICE CONDUCTORS FROM UTILITY H-FRAME TO VZW EQUIPMENT SHELTER INSTALL (2) 1-1/4" & (1) 1" INDUCTS w/ PULL TAPES & TRACER WIRE WITHIN OWNER INSTALLED VERIZON WIRELESS ONLY FIBER OPTIC CONDUIT 	<p>ALL WORK AND MATERIALS SHALL BE PERFORMED AND INSTALLED IN ACCORDANCE WITH THE CURRENT EDITIONS OF THE FOLLOWING CODES AS ADOPTED BY THE LOCAL GOVERNING AUTHORITY'S. NOTHING IN THESE PLANS IS TO BE CONSTRUCTED TO PERMIT WORK NOT CONFORMING TO THESE CODES.</p> <p>BUILDING CODE 2014 INDIANA BUILDING CODE (IBC 2012) STRUCTURAL CODE 16/EA-222 - REVISION G MEDICAL CODE 2014 INDIANA MEDICAL CODE (IMC 2012) PLUMBING CODE 2012 INDIANA PLUMBING CODE (IPC 2004) ELECTRICAL CODE 2008 NATIONAL ELECTRICAL CODE (NEC) - NFPA 70 FIRE/LIFE SAFETY CODE 2014 INDIANA FIRE CODE (2012 IFI) ENERGY CODE 2010 INDIANA ENERGY CODE ASHRAE 90.1-200 (COMMERCIAL) GAS CODE 2014 INDIANA FUEL GAS CODE (IFGC 2012)</p> <p>ACCESSIBILITY REQUIREMENTS: FACILITY IS UNMANNED AND NOT FOR HUMAN HABITATION. HANDICAPPED ACCESS REQUIREMENTS ARE NOT REQUIRED IN ACCORDANCE WITH THE 2009 IBC BUILDING CODE.</p> <p>APPLICABLE CODES</p> <p>SUBVISOR BENCHMARK SERVICES, INC. 318 NORTH MAIN STREET P.O. BOX 5 HUNTINGBURG, IN 47542 PHONE: 812-683-3049 FAX: 812-683-2040</p> <p>ARCHITECTURAL GPD GROUP 8275 ALLISON POINTE TRAIL, SUITE 220 INDIANAPOLIS, IN 46250 CONTACT: TRACI FREBLE, 317-299-2995</p> <p>ELECTRICAL JPK ADDRESS: TBD CONTACT: MEMBER OF SERVICE DEPT PHONE: 1-800-321-2232 EMAIL: TBD</p> <p>ELECTRICAL UTILITY COORDINATION IS NOT FINALIZED. DO NOT PROCEED WITH CONSTRUCTION.</p>
--	--

<p>PROJECT SUMMARY</p> <p>LOCATION MAP</p> <p>AERIAL</p>	<p>CONSULTANT TEAM</p> <table border="1"> <tr> <th>SHEET NUMBER</th> <th>DESCRIPTION</th> </tr> <tr> <td>T-1</td> <td>PROJECT INFORMATION, VICINITY MAP, & SHEET INDEX</td> </tr> <tr> <td colspan="2">SURVEY PLAN</td> </tr> <tr> <td>DMS</td> <td></td> </tr> <tr> <td>P-1</td> <td>PRELIMINARY OVERALL SITE PLAN w/ AERIAL</td> </tr> <tr> <td>P-2</td> <td>PRELIMINARY OVERALL SITE PLAN</td> </tr> <tr> <td>P-3</td> <td>PRELIMINARY DETAILED SITE PLAN</td> </tr> <tr> <td colspan="2">ARCHITECTURAL</td> </tr> <tr> <td>P-4</td> <td>PRELIMINARY TOWER ELEVATION</td> </tr> </table>	SHEET NUMBER	DESCRIPTION	T-1	PROJECT INFORMATION, VICINITY MAP, & SHEET INDEX	SURVEY PLAN		DMS		P-1	PRELIMINARY OVERALL SITE PLAN w/ AERIAL	P-2	PRELIMINARY OVERALL SITE PLAN	P-3	PRELIMINARY DETAILED SITE PLAN	ARCHITECTURAL		P-4	PRELIMINARY TOWER ELEVATION
SHEET NUMBER	DESCRIPTION																		
T-1	PROJECT INFORMATION, VICINITY MAP, & SHEET INDEX																		
SURVEY PLAN																			
DMS																			
P-1	PRELIMINARY OVERALL SITE PLAN w/ AERIAL																		
P-2	PRELIMINARY OVERALL SITE PLAN																		
P-3	PRELIMINARY DETAILED SITE PLAN																		
ARCHITECTURAL																			
P-4	PRELIMINARY TOWER ELEVATION																		

REV	DATE	DESCRIPTION
1	10/08/15	PRELIMINARY CHANGES

GN 161ST & TOWNE
161ST & TOWNE RD
WESTFIELD, IN 46074

PROJECT INFORMATION,
VICINITY MAP, &
SHEET INDEX

ISSUED FOR:	
PERMIT	-
BID	-
CONSTRUCTION	-
RECORD	-
PROJECT MANAGER	DESIGNER
TTP	SEK

JOB NO.
20151710.25

T-1

NOTE:
THIS IS A REDUCED SIZE COPY. THESE PLANS
WERE PRODUCED USING A 22"x34" FORMAT.
DO NOT SCALE FROM THESE PRINTS.



SCALE: 1"=60'

NORTH IS BASED ON INDIANA STATE PLANE COORDINATE SYSTEM EAST ZONE AND WAS DETERMINED BY COMPUTATION FROM G.P.S. OBSERVATION ON MAY 14, 2015




(LANDOWNER)
THOMAS M. & LESABETH D. ARMSTRONG
16414 TOWNE ROAD
WESTFIELD, IN 46074

CENTER OF TOWER
COORDINATE POINT LOCATION

NORTH: 1739608.393
EAST: 177869.179
ELEV: 903.50

POINT OF COMMENCEMENT—NORTHEAST CORNER OF THE NORTHEAST CORNER OF SECTION 8, TOWNSHIP 18 NORTH, RANGE 3 EAST, WASHINGTON TOWNSHIP, HAMILTON COUNTY, INDIANA



100'x100' LEASE AREA DESCRIPTION

A PART OF THE NORTHEAST QUARTER OF THE NORTHEAST QUARTER OF SECTION 8, TOWNSHIP 18 NORTH, RANGE 3 EAST, WASHINGTON TOWNSHIP, HAMILTON COUNTY, INDIANA AND MORE PARTICULARLY DESCRIBED AS FOLLOWS:

COMMENCING AT THE ABOVE REFERENCED NORTHEAST CORNER OF SAID NORTHEAST QUARTER OF SECTION 8, THENCE SOUTH 00 DEGREES 52 MINUTES 21 SECONDS WEST (DEED BEARING) AND BEING SOUTH 00 DEGREES 13 MINUTES 09 SECONDS WEST (MEASURED BEARING BY GPS AND BEING THE BASIS OF BEARINGS) 1716.52 FEET TO A POINT AND PASSING OVER THE NORTHEAST CORNER OF THE ARMSTRONG NORTHEAST PROPERTY CORNER AT 784.88 FEET (BY DEED); THENCE CONTINUING SOUTH 00 DEGREES 13 MINUTES 09 SECONDS WEST 30.00 FEET; THENCE SOUTH 90 DEGREES 00 MINUTES 00 SECONDS WEST 145.21 FEET; THENCE SOUTH 00 DEGREES 00 MINUTES 00 SECONDS WEST 35.00 FEET; THENCE SOUTH 90 DEGREES 00 MINUTES 00 SECONDS WEST 30.00 FEET TO THE SOUTHEAST LEASE CORNER AND BEING THE TRUE PLACE OF BEGINNING OF THIS DESCRIPTION; THENCE NORTH 90 DEGREES 00 MINUTES 00 SECONDS WEST 100.00 FEET; THENCE NORTH 00 DEGREES 00 MINUTES 00 SECONDS EAST 100.00 FEET; THENCE SOUTH 90 DEGREES 00 MINUTES 00 SECONDS EAST 100.00 FEET; THENCE SOUTH 00 DEGREES 00 MINUTES 00 SECONDS WEST 100.00 FEET TO THE TRUE PLACE OF BEGINNING AND CONTAINING 10,000 SQUARE FEET, (0.23 ACRES), MORE OR LESS.

30' ACCESS & UTILITY EASEMENT DESCRIPTION

A PART OF THE NORTHEAST QUARTER OF THE NORTHEAST QUARTER OF SECTION 8, TOWNSHIP 18 NORTH, RANGE 3 EAST, WASHINGTON TOWNSHIP, HAMILTON COUNTY, INDIANA AND MORE PARTICULARLY DESCRIBED AS FOLLOWS:

COMMENCING AT THE ABOVE REFERENCED NORTHEAST CORNER OF SAID NORTHEAST QUARTER OF SECTION 8, THENCE SOUTH 00 DEGREES 52 MINUTES 21 SECONDS WEST (DEED BEARING) AND BEING SOUTH 00 DEGREES 13 MINUTES 09 SECONDS WEST (MEASURED BEARING BY GPS AND BEING THE BASIS OF BEARINGS) 1716.52 FEET TO THE TRUE PLACE OF BEGINNING OF THIS ACCESS AND UTILITY EASEMENT DESCRIPTION AND PASSING OVER THE NORTHEAST CORNER OF THE ARMSTRONG NORTHEAST PROPERTY CORNER AT 784.88 FEET (BY DEED); THENCE CONTINUING SOUTH 00 DEGREES 13 MINUTES 09 SECONDS WEST 30.00 FEET; THENCE SOUTH 90 DEGREES 00 MINUTES 00 SECONDS WEST 35.00 FEET; THENCE SOUTH 90 DEGREES 00 MINUTES 00 SECONDS WEST 30.00 FEET TO THE SOUTHEAST LEASE CORNER; THENCE ALONG THE EAST LINE OF SAID LEASE NORTH 00 DEGREES 00 MINUTES 00 SECONDS EAST 100.00 FEET TO THE NORTHEAST LEASE CORNER; THENCE NORTH 90 DEGREES 00 MINUTES 00 SECONDS EAST 30.00 FEET; THENCE SOUTH 00 DEGREES 00 MINUTES 00 SECONDS WEST 35.00 FEET; THENCE NORTH 90 DEGREES 00 MINUTES 00 SECONDS EAST 145.33 FEET TO THE TRUE PLACE OF BEGINNING AND CONTAINING 7358.1 SQUARE FEET, (0.17 ACRES), MORE OR LESS.

UTILITIES

TELEPHONE COMPANY: A.T. & T MEMBER OF SERVICE DEPT. 1.800.660.3000
POWER COMPANY: IPL MEMBER OF SERVICE DEPT. 1.800.521.2232
POLICE CONTACTS: WESTFIELD POLICE DEPT. CHIEF JOEL D. RUGH 317.804.3200
FIRE CONTACTS: WESTFIELD FIRE DEPT. CHIEF JOE LYONS 317.804.3333



FLOOD DATA THIS PROPERTY IS IN ZONE X OF THE FLOOD INSURANCE RATE MAP, COMMUNITY PANEL NO. 18057C01156 WHICH HAS AN EFFECTIVE DATE OF 11/18/2014 AND IS NOT IN A SPECIAL FLOOD HAZARD AREA. THERE WAS NO FIELD SURVEY PERFORMED TO DETERMINE THIS ZONE. AN ELEVATION CERTIFICATE MAY BE NEEDED TO VERIFY THIS DETERMINATION FROM FEMA.

LAND SURVEYOR'S CERTIFICATE

I HEREBY CERTIFY THAT THIS PLAT AND SURVEY WERE MADE UNDER MY SUPERVISION AND THAT THE ANGULAR AND LINEAR MEASUREMENTS AS WITNESSED BY MONUMENTS SHOWN HEREON ARE TRUE AND CORRECT TO THE BEST OF MY KNOWLEDGE AND BELIEF.

Ralph M. Wallen
RALPH M. WALLEM PLS NO. 80040185

NOTE: THIS DRAWING DOES NOT REPRESENT A BOUNDARY SURVEY.



BENCHMARK SERVICES, INC.
Consulting Engineers
Land Surveyors
318 North Main Street
P.O. Box 0
Huntingburg, Indiana 47542
Phone: (812) 663-3049
e-mail: benchmark@mw.tbcb.com

SITE NUMBER:	
SITE NAME:	GN 161ST and TOWNE
SITE ADDRESS:	16414 TOWNE ROAD WESTFIELD, IN 46074
LEASE AREA:	10000 SQ. FT.
PROPERTY OWNER:	THOMAS M. & LESABETH D. ARMSTRONG 16414 TOWNE ROAD WESTFIELD, IN 46074
SECTION/TOWNSHIP/RANGE:	SEC 8, T18N, R3E
COUNTY:	HAMILTON COUNTY
SOURCE OF TITLE:	INST#9809839293
LATITUDE:	40° 01' 23.583" N
LONGITUDE:	86° 12' 13.486" W
DWG BY:	GVW
CHKD BY:	RMW
DATE:	5.26.15
NO. REVISION/ISSUE:	
DATE:	
TITLE:	SURVEY PLAN
SHEET:	1 OF 1

LANDSCAPING CONTRACTOR NOTES

1. THE CONTRACTOR SHALL VISIT THE SITE & BECOME COMPLETELY FAMILIAR WITH ALL EXISTING CONDITIONS AND EROSION CONTROL MEASURES PRIOR TO STARTING WORK.
2. THE CONTRACTOR SHALL FURNISH ALL LABOR AND MATERIALS COMPLETE IN ACCORDANCE WITH THE DRAWINGS AND SPECIFICATIONS.
3. THE CONTRACTOR SHALL COMPLY WITH ALL BUILDING CODES, INSPECTIONS AND SAFETY REGULATIONS, AND PROVIDE ALL NECESSARY PERMITS. THE CONTRACTOR SHALL HAVE ALL NECESSARY LOCAL, STATE & FEDERAL LICENSE REQUIRED. UPON REQUEST, THE CONTRACTOR SHALL SHOW EVIDENCE OF WORKERS COMPENSATION COVERAGE AND LIABILITY POLICY.
4. THE CONTRACTOR SHALL GUARANTEE ALL PLANTS TO BE IN A HEALTHY, VIGOROUS CONDITION (INCLUDING WATERING AND UPKEEP) FOR A PERIOD OF ONE (1) YEAR FOLLOWING ACCEPTANCE BY OWNER AND/OR PROJECT REPRESENTATIVE. THE CONTRACTOR SHALL REPLACE WITHOUT COST TO OWNER, ANY DEAD OR UNACCEPTABLE PLANTS.
5. THE CONTRACTOR SHALL VERIFY THE LOCATION OF ALL UNDERGROUND UTILITIES AND PERFORM WORK IN A MANNER WHICH WILL AVOID POSSIBLE DAMAGE; HAND EXCAVATE AS REQUIRED.
6. ALL LANDSCAPE/PLANTING AREAS SHALL HAVE PROPER DRAINAGE THAT PREVENTS EXCESS WATER FROM STANDING AROUND TREES AND SHRUBS. IT IS INTENDED THAT THIS SITE WILL MATCH EXISTING GROUND ELEVATIONS AND WILL MAINTAIN EXISTING DRAINAGE PATTERNS WHERE APPLICABLE.
7. THE CONTRACTOR SHALL PROVIDE PLANT MATERIAL OF THE SIZE & TYPE SPECIFIED, IF SUBSTITUTIONS ARE PROPOSED, THEY MUST BE APPROVED BY CROWN CASTLE. ALL PLANT MATERIAL SHALL BE FREE OF DISEASE, INSECTS AND DEFECTS SUCH AS BUT NOT LIMITED TO KNOTS, SUN-SCALD, INJURIES, ABRASIONS AND DISFIGUREMENT. APPROVAL OF PLANT MATERIAL AT THE SOURCE DOES NOT ALTER THE RIGHT OF REJECTION AT PROJECT. ALL PLANT MATERIAL SHALL COMPLY WITH THE CURRENT ISSUE OF "ASSOCIATION OF AMERICAN STANDARD" FOR NURSERY STOCK PUBLISHED BY THE "AMERICAN ASSOCIATION OF NURSERYMEN".
8. THE CONTRACTOR SHALL PROVIDE A FINISHED GRADE THAT SHALL BE REASONABLY SMOOTH, COMPACTED AND FREE OF ANY IRREGULAR SURFACE CHANGE. THE CONTRACTOR SHALL SLOPE ALL PLANTING BEDS AND LAWN AREAS TO CAUSE RUN-OFF TO FLOW AWAY FROM BUILDING AND PAVING.
9. THE CONTRACTOR SHALL BACKFILL ALL PLANT MATERIAL WITH SHREDDED TOPSOIL AND THE SPECIFIED AMOUNT OF PEAT MOSS AS REQUIRED FOR THE BED PREPARATION.
10. THE CONTRACTOR SHALL INSTALL "V" CHANNEL AROUND INTERIOR AND EXTERIOR PERIMETER OF LANDSCAPE BUFFER FOR STONE MULCH TO REST AGAINST.
11. THE LANDSCAPING CONTRACTOR SHALL USE SOME TYPE OF LANDSCAPING STONE (I.E. CREEK STONE, CRUSHED BRICK, ETC).
 - THE FINISHED DEPTH OF STONE MUST BE AT LEAST 2" AND NO MORE THAN 3".
 - PRIOR TO STONING THE CONTRACTOR SHALL APPLY A PRE-EMERGENT HERBICIDE TO AID IN WEED CONTROL. READ WARNING LABEL BEFORE APPLYING. WATER ALL TREES IMMEDIATELY OR WITHIN 16 HOURS AFTER INSTALLATION
 - THE CONTRACTOR SHALL INSTALL GEOTEXTILE FABRIC AFTER APPLICATION OF PRE-EMERGENT HERBICIDE AND PRIOR TO STONE MULCH INSTALLATION.

GPD GROUP, INC.
 520 South Main Street, Suite 2531
 Akron, OH 44311
 330.572.2100 Fax 330.572.2102

CROWN CASTLE
 11 GRANDVIEW CIRCLE, SUITE 220
 CANONSBURG, PA 15107

REV.	DATE	DESCRIPTION
A	09/10/15	ISSUED FOR 90% REVIEW
B	05/24/16	REVISED TO PLATFORM
C	08/23/16	ADDED (2) LANDSCAPING TREES
D	08/24/16	FINAL CONSTRUCTION DRAWINGS

CIVIL SEAL


GN 161ST & TOWNE
 16414 TOWNE RD
 WESTFIELD, IN 46074

LANDSCAPE PLAN & NOTES

ISSUED FOR:	
REVIEW	09/09/15
PERMIT	-
CONSTRUCTION	-
RECORD	-
PROJECT MANAGER	DESIGNER
TP	BAG

JOB NO.
2015710.25

L-1



SYMBOL	QUANTITY	PLANT NAME	BOTANICAL NAME	COMMENTS/SPECIFICATIONS
	36	NORWAY SPRUCE EVERGREEN TREE	PICEA ABIES	6 FEET HEIGHT MINIMUM (BALLED & BURLAPPED)

SITE LEASE AREA	10000 SQ FT
COMPOUND AREA	6400 SQ FT
USED AREA	293 SQ FT

Drawing Name: O:\2015\2015710161ST TOWNE\A\CD\void GN 161ST & TOWNE CDs.dwg
 August 25, 2016 1:19 PM - akfischner

